


CATTLE HORSE PANELS KENNELS & MUCH MORE!








AMERICA'S #1 NAME IN FARM, RANCH, & RODEO

Priefert Product TABLE OF CONTENTS

	TABLE OF CONT	EN	ΓS
	Cattle Equipment	4-	14
1000	Cattle Chutes		4
	Headgates		8
	Calf Table Premier Open Sweeps/Compo		9
	RoughStockOpenSweeps/Com		
-	Solid Sweeps/Components Corral Systems/Components		12
	Bud Boxes/Components		13
T	Scales		14
	Land Grader		15
2	Panels & Gates	16-	17
2	Horse Equipment	18-	21
	Round Pens		18
	Horsewalkers		19
	Premier Horse Stalls/Accessor Expo Stalls		20 21
			O 1
Y	Sheep, Hog & Goat		21
7	Feeders & Water Tanks	22-	23
	Cattle Feeders & Feeder Panel	ls .	22
	Horse Feeders	-	22
	Sheep, Hog & Goat Feeders Water Tanks		23
	Roping & Rodeo	24-	27
ρIJ	Roping Equipment		24
	Bucking Chutes Arena Groomer		26 27
h.	THERE GIOGREE	•	
	Poultry Equipment		28
(h			
	Dog Kennels		29
V			
1	Fonging		20
4	Fencing		30
-			
	Limbsaw		31



Priefert History

In 1964, Marvin Priefert invented his first headgate. Little did he know, this first piece of ranch equipment would later become the foundation for one of the largest farm, ranch, and rodeo equipment manufacturers in the world. Driven by the desire to "find a better way," Marvin and his family have continued to innovate and invent, successfully growing a company focused on meeting the needs of the American farmer and rancher. Today, the Priefert name has earned a strong reputation in the industry for integrity, quality, and reliability.

Over the last 50 years, Priefert has led the way with revolutionary designs that have helped keep the Priefert name at the forefront of the industry. Not only was Priefert the first in the industry to offer a fully front-opening headgate, but we were also the first to introduce curved sides on a squeeze chute to better fit the shape of cattle. Other firsts include: the introduction of chain connection panels in 1984, the first open-sided cattle sweep system and the first double pivot calf table in 1988, the creation of the infinite locking system in 1991, and the first complete line of powder-coated products in 1995. Priefert's Model 91 Headgate and S04 Squeeze Chute are still recognized as the best in the industry, with more features than any other chute on the market. Priefert's rodeo equipment is also an industry favorite and has been the equipment of choice for the PBR since 2005 and for the PRCA and National Finals Rodeo since 2006.

Today, Priefert is in its third generation of family leadership. Priefert Manufacturing has over 1000 employees and a dealer network of over 1200 dealers around the world. Considered the leading innovator in the livestock handling industry, Priefert continues to develop and produce equipment that is safe and durable for both the animal and the operator. Priefert is recognized as having the highest quality equipment on the market and is proud to have its products used and endorsed by the top cattle, equine, rodeo and roping organizations in the country. Hard work, good people, a willingness to step "outside the box," and abundant blessings from God have allowed this company to grow and prosper. allowed this company to grow and prosper.
































Model S04

5 drop down Contoured **Access Bars** on each side Removable **Bottom Access Automatic/Manual** Headgate Headgate (HG91) **Control Lever Dual Infinite Locking Systems**

Squeeze Chute Accessories



HEADGATE NECK **EXTENDER:** (HGNE)




AI/PREG CAGE: (PC)




WISHBONE CARRIAGE: (CA04-2)Fits S0191* & S04* chutes and Calf Table (CRS0164)Fits S01* (CRS01-2)Fits S0191* (CRS04-2)Fits S04* (*additional receiver set sold separately)











CHAIN: (HC)

Priefert's #1 Selling Squeeze Chute

Squeeze Chute Accessories

Dual Infinite Locking Systems



System





- Works Manually & Automatically
- Switch to self-catch with a "Flip of a Lever"
- Reversible & Portable (w/Optional Headgate Stand)
- Infinite Locks Guaranteed for Life*
- Head Chain Restraint
- 5 Year Warranty
- Lock any size neck with no adjustments necessary

*Lubricate infinite locks with light oil (i.e. original WD-40). DO NOT use heavy oil or any oil with Teflon or silicon additives.



Cattle Accessories



HEADGATE NECK EXTENDER:(HGNE)

The Headgate Neck Extender is designed to reduce head movement and gently extend an animal's neck while in the Model HG91 Headgate.



HEADCHAIN:(HC)
Designed to work with
Priefert Squeeze Chutes,
Headgates, and the Priefert
Calf Table, this Head Chain can be used to securely restrain an animal's head.





WORKING ALLEY WITH MODEL 91 **HEADGATE:** (WA-1)













Premier Open Sweep systems

This rugged, completely reversible crowding system can be used as a portable or permanent working corral. Either way, it provides a durable and affordable crowding system that requires less labor for working cattle.

Priefert's innovative, user-friendly panel design allows you to build a complete system or add what you need to an existing corral. Our panels assemble easily and fit tighter than other panels. The heavy gauge tubular steel construction allows these sweeps to be portable and our architectural grade powder coat gives our panels a durable finish. Available in a variety of configurations, these systems and corrals are versatile enough



This completely reversible crowding system includes a 135° sweep and is ideal for use as part of a permanent installation or as part of a portable working corral.

Includes: (1) Bow Gate w/Alley Frame: (3) 8' Curved Panels; (1) Straight Sweep Panel; (2) Radius Bars



This completely reversible crowding system includes a 135 degree sweep and a 24' working

www.PRIEFERT.com

Includes: (1) Bow Gate w/Alley Frame; (3) 8' Curved Panels; (1) Straight Sweep Panel; (2) Radius Bars; (4) 12' emier Panels; (4) Alley Frames; (1) No Back Alley Stop



This completely reversible crowding system includes a 135 degree sweep, a 24' working alley, and a Model 91 Headgate with Headgate Stand.

Includes: (1) Bow Gate w/Alley Frame; (3) 8' Curved Panels; (1) Straight Sweep Panel; (2) Radius Bars; (4) 12' Premier Panels; (3) Alley Frames; (1) Model 91 Headgate; (1) Headgate Stand; (1) No Back Alley Stop



This completely reversible crowding system includes a 135 degree sweep with a 28' working alley, and an 8' sorting alley.

Includes: (1) Bow Gate w/Alley Frame; (3) 8' Curved Panels: (1) Straight Sweep Panel: (2) Radius Bars: (5) 12' Premier Panels; (1) 8' Premier Panel; (3) Alley Frames; (1) No Back Alley Stop; (1) Sorting Gate; (1)





This 90 degree sweep is reversible and can easily be expanded to grow ith your herd requirements.

Includes: (1) Bow Gate w/Alley Frame; (2) 8' Curved Panels; (1) Straight Sweep Panel; (1) 90° Panel; (2) Radius Bars



This completely reversible crowding system includes a 90 degree sweep, a 12' working alley, and a Model 91 Headgate

Includes: (1) 10' Bow Gate w/Alley Frame: (2) 8' Curved Panels; (1) Straight Sweep Panel; (1) 90° Panel: (2) Radius Bars: (2) 12' Premier Panels: (1) Alley Frame: (1) No Back Alley Stop: (1) Headgate Stand; (1) Model 91 Headgate.




This working alley with Model 91 leadgate is ideal for applications where a short alley will be needed with a head catch. Includes our reversible and versatile Model 91 Headgate.

Includes: (1) Model 91 Automatic/Manual Headgate; (1) Headgate Stand; (2) 12' Premier Panels; (2) Alley Frames; (1) No-Back Alley Stop



Simple and efficient but without a sweep, the OS-7 funnels livestock to a hort alley and headgate.

ncludes: (1) 10' Bow Gate: (11) 12' Premier Panels; (1) Alley Frame; (1) No Back Alley Stop; (1) Alley Gate; (1) Headgate Stand; (1)
















Solid Sweep Radius Bar



components are interchangeable

Our Friendly Sales Team Has All The Details.

Rough Stock Open Sweep systems

Priefert's Rough Stock Open Sweeps improve the flow of cattle by pivoting our sweeping bow gate at the alley. Eliminating the corner found with the standard design of 180 degree sweeps, a 135° sweep is simply a practical design that provides benefits that reduce stress on livestock and operators alike. The cost savings and reduction of labor in assembly further increases the attractiveness of this design. A full array of optional components offer cattle owners the opportunity to fit this system into existing corrals or build a complete set of pens using either our 6' Tall Premier Panels, Rough Stock Arena Panels, or the Rough Stock Panel itself.



135° Rough Stock Open Sweep w/30' Adjustable Alley (1 Rolling Alley Gate - 1 Adj Alley Frame)

ludes: (1) Open Bow Gate: (3) Open Curve nels; (3) Radius Bars; (1) Radius Bow; (1) Open Straight Sweep Panel; (4) 10' Rough Stock Panels; (2) Rough Stock Open Preg Panels; (1) Sheeted Adj Alley Gate; (1) Sheeted Adj Alley Frame; (1) Adj Alley Frame w/Chute Attachment: (1) No Back Alley Stop



135° Rough Stock Open Sweep w/20' Adjustable Alley (with Preg Panels & 8' Sweep Bow Gate)

ncludes: (1) Open Bow Gate: (3) Rough Stock Open rve Panels; (3) Radius Bars; (1) Radius Bow; (2) 10 ough Stock Panels; (2) Sheeted Adi Alley Gates; (2) ough Stock Open Preg Panels; (1) Adj Alley Frame w/Chute Attachment: (2) Connector Posts: (1) Rough tock Sweep Bow Gate



135° Rough Stock Open Sweep w/20' Fixed Allev

ludes: (1) Open Bow Gate: (3) Open Curv pen Straight Sweep Panel; (4) 10' Rough tock Panels; (2) Rough Stock Alley Frame; 1) No Back Alley Stop



135° Rough Stock Open Sweep w/20' Adjustable Alley

ncludes: (1) Open Bow Gate; (3) Rough Stock Open Curve Panels; (3) Radius Bars; (1) Radius Bow; (4) 10' ough Stock Panels; (1) Sheeted Adj Alley Frame; (1) Sheeted Adj Alley Gate; (1) Adj Alley Frame w/Chute Attachment; (2) Connector Posts; (1) Rough Stock een Row Gate



This reversible 135° sweep has a spring loaded, self-latching door with a pivot point at the alley that eliminates the common cow trap

ludes: (1) Open Bow Gate; (3) Open Curve anels: (3) Radius Bars: (1) Radius Bow: (1) Rou ock Open Straight Sweep Panel



This reversible 135° "Revolution" Sweet is designed from our Rough Stock ents. Adding the 8' Rough Stock Bow Gate makes for easy load out fore entering an alley.

ludes: (1) Open Bow Gate; (3) Rough Stock Open Curve Panels; (3) Radius Bars; (1) Radius w; (1) Rough Stock Sweep Bow Gate



135° Rough Stock Open w/30′ Adj

ncludes: (1) Open Bow Gate: (3) Open Curved Panels; (3) Radius Bars; (1) Radius Bow; (4) 10' Rough Stock Panels; (1) Sheeted Adj Alley Frame; (2) Sheeted Adj Alley Gates; (2) Rough Stock Open Preg Panels; (1) Adj Alley Frame w/Chute



The RSOS-90 is made from the same tough Roughstock panels as the 135 degree systems, and can help fit a working system into the tightest of barns. Fully reversible and featuring the same spring-loaded lever latch of the other systems, the RSOS-90 is perfect for the rancher with a small herd and

Includes: (1) Open Bow Gate; (1) Open Panel wit Alley Frame; (2) Open Curve Panel; (1) Radius Ba (1) Radius Bow



Priefert Sweep Systems are Interchangeable, Reversible & Versatile



Expanding our RSOS-90 to 180 degrees, this system works much like the Premier OS-2, allowing for a large number of cattle to be loaded in the tub, ready to sweep down the alley. This sweep is fully reversible and features the same safety and strength benefits of the other RSOS

Includes: (1) Open Bow Gate: (1) Open Panel with Alley Frame; (4) Open Curve Panel; (3) Radius Bar;


Rough Stock Open Sweep Components













45° Turn Sheeted Sweep Kit (SS45)





Rough Stock Alley Frame (RSAF)

Solid Sweep Radius Bow (SSRBOW)

Solid Sweep Connector Post (SSCP)

ACTUAL PRODUCT MAY VARY SLIGHTLY FROM PHOTO SHOWN Call Our Friendly Sales Team For Assistance 800.527.8616


Priefert's Solid Sweep System has several unique, practical features not found in most other solid sweeps. Pivoting our sweeping bow gate at the alley improved the flow of cattle by eliminating the corner found with the standard 180 degree sweeps. By eliminating catwalks, we improved safety and provided another cost saving benefit for operators. Spring loaded, double piston latches in the sweep increase user safety. An optional second bow gate offers the opportunity for loading directly from the sweep. All alley and sweep panels are designed to provide easy access for "pour-on" application of insecticides. More for your money with increased safety and multitudes of options; what more could you want?



Solid Sweep Components

















achment (SAAFC)





135° Solid Sweep w/30' Adj Alley (1 Adj Alley Gate - 1 Adj Alley Frame)

ludes: (1) Sheeted Bow Gate; (3) neeted Curved Panels; (3) Radius Bars;) Radius Bow; (1) Straight Sweep Panel (4) Sheeted Alley Panel; (1) Sheeted Adj Alley Frame; (1) Sheeted Adj Alley Gate; (2) Sheeted Preg Panel; (1) Adj Alley Frame w/Chute Attachment; (1) No Back



135° Solid Sweep w/20′ Adj Alley (with Preg Panels & 8′ Sweep Bow Gate)

Includes: (1) Sheeted Bow Gate; (3) Sheeted Curved Panels; (3) Radius Bars; (1) Radius Bow; (2) 10' Sheeted Alley Panels; (2) Sheeted Adj Alley Gates; (2) Sheeted Preg Panels; (1) Adj Alley Frame w/Chute Attachment; (2) Connector Posts; (1) Sheeted



Four 10' Alley Panels and three Adjustable Alley Frames can

serve as a working alley for any

set of pens or used to add length cludes: (4) Sheeted Alley Panels; (2)

Sheeted Adj Alley Frames; (1) Adj Alley Frame w/Chute Attachment; (1) No Back



135° Solid Sweep w/20' Adj Alley

ncludes: (1) Sheeted Bow Gate; (3) Sheeted Curved Panels; (3) Radius Bars; (1) Radius Bow; (4) 10' Sheeted Alley Panels; (1) Sheeted Adj Alley Gate; (1) Adj Alley Frame w/Chute Attachment; (2) Connector Posts; (1) Sheeted Sweep Bow Gate



This reversible 135° "Revolution" Sweep is designed from our Rough Stock components. Adding the 8' Rough Stock Bow Gate makes for easy load out before entering an alley.

ludes: (1) Sheeted Bow Gate; (3) Sheeted Curved Panels; (3) Radius Bars 1) Radius Bow; (1) Sheeted Sweep Bow

This reversible 135° sweep has a spring loaded, self-latching door vith a pivot point at the alley that eliminates the common cow trap

cludes: (1) Sheeted Bow Gate: (3) Sheeted Curved Panels; (3) Radius Bars; (1) Radius Bow; (1) Straight Sweep Panel

Detailed Drawings Online www.priefert.com

Priefert Sweep Systems are Interchangeable, Reversible & Versatile We'll build to fit your needs!

INLINE Sweep systems



Do you like our Roughstock Sweeps but don't have the space to allow for a traditional sweep? Priefert has you covered with the Inline series. Built vith Roughstock Open or Sheeted sweep components, this reversible sweep will allow you to push cattle through the tub to maintain efficiency within limited space.





Expanding on the Inline 90, this sweep tub allows for more cattle to be loaded and ready to sweep down the alley. This system is also made with Roughstock Open or Sheeted components and is fully reversible.

Includes: (1) Open Bow Gate; (1) Sheeted Alley Panel; (3) Curved Panel; (3) Radius Bar; (1) Radius Bow; (1) Rough Stock Alley Frame; (1) Roughstock Connector Post-3 way; (2) Roughstock Gender Adapter-3way

All Priefert Sweep Systems can be adapted to work with any corral.

Including pre-existing permanent or portable facilities. (Corral layout may vary slightly depending on the sweep)






	THE CHARLES				
Υ	PRODUCT	PART#	QTY	PRODUCT	PART#
	NO BACK ALLEY STOP	ASU	2	SORTING GATE/PREG PANEL	RSOPPSG
	10' ROUGH STOCK ARENA PANEL	RSAP10	4	10' ROUGHSTOCK PANEL	RSP10
;	12' ROUGH STOCK ARENA PANEL	RSAP12	1	SO4 SQUEEZE CHUTE	S04
	10'X9' BOW GATE	RSBG109	1	SHEETED ADJUST. ALLEY FRAME	SAAF
	3-WAY CONNECTOR POST	RSCP3	1	AF W/CHUTE ATTACHMENT	SAAFC
	2-WAY GENDER ADAPTOR	RSGA2	2	SHEETED ADJUST. ALLEY GATE	SAAG
	OPEN BOW GATE	RSOBG	2	SWEEP CONNECTOR POST	SSCP
	8' OPEN BOW GATE	RSOBG08	3	RADIUS BAR	SSRB
	OPEN CURVE PANEL	RSOCP	1	RADIUS BOW	SSRBOW




QTY	PRODUCT	PART#	QTY	PRODUCT	PA
1	NO BACK ALLEY STOP	ASU	3	OPEN CURVE PANEL	R:
3	10' ROUGH STOCK ARENA PANEL	RSAP10	2	SORTING GATE/PREG PANEL	RSO
23	12' ROUGH STOCK ARENA PANEL	RSAP12	4	10' ROUGHSTOCK PANEL	RS
2	10'WALK-THRU PANEL	RSAWT10	1	MOUNTING BRACKET SHEET	RSS
1	10'X9' BOW GATE FRAME	RSBF109	1	S04 SQUEEZE CHUTE	9
6	10'X9' BOW GATE	RSBG109	1	SHEETED ADJUST. ALLEY FRAME	S
9	3-WAY CONNECTOR POST	RSCP3	1	AF W/CHUTE ATTACHMENT	SA
1	4-WAY CONNECTOR POST	RSCP4	2	SHEETED ADJUST. ALLEY GATE	S
10	2-WAY GENDER ADAPTOR	RSGA2	2	SWEEP CONNECTOR POST	S
1	OPEN BOW GATE	RSOBG	3	RADIUS BAR	S
1	8' OPEN ROW GATE	RSORGOS	1	RADIUS ROW	SSE



QTY	PRODUCT	PART#	QTY	PRODUCT	PART#
1	NO BACK ALLEY STOP	ASU	3	OPEN CURVE PANEL	RSOCP
3	10' ROUGH STOCK ARENA PANEL	RSAP10	2	SORTING GATE/PREG PANEL	RSOPPSG
47	12' ROUGH STOCK ARENA PANEL	RSAP12	4	10' ROUGHSTOCK PANEL	RSP10
1	6' ROUGH STOCK ARENA PANEL	RSAPD06	2	MOUNTING BRACKET SHEET(F)	RSSPMBF
1	10'WALK-THRU PANEL	RSAWT10	1	MOUNTING BRACKET SHEET(M)	RSSPMBM
1	10'X9' BOW GATE FRAME	RSBF109	1	SO4 SQUEEZE CHUTE	S04
1	5'X7' BOW GATE	RSBG057	1	SHEETED ADJUST. ALLEY FRAME	SAAF
9	10'X9' BOW GATE	RSBG109	1	AF W/CHUTE ATTACHMENT	SAAFC
13	3-WAY CONNECTOR POST	RSCP3	2	SHEETED ADJUST. ALLEY GATE	SAAG
2	4-WAY CONNECTOR POST	RSCP4	2	SWEEP CONNECTOR POST	SSCP
20	2-WAY GENDER ADAPTOR	RSGA2	3	RADIUS BAR	SSRB
1	OPEN BOW GATE	RSOBG	1	RADIUS BOW	SSRBOW


Rough Stock Corral systems






YTS	PRODUCT	PART#	QTY	PRODUCT	PART#
1	NO BACK ALLEY STOP	ASU	1	8' OPEN BOW GATE	RSOBG08
2	10' ROUGH STOCK ARENA PANEL	RSAP10	3	OPEN CURVE PANEL	RSOCP
59	12' ROUGH STOCK ARENA PANEL	RSAP12	2	SORTING GATE/PREG PANEL	RSOPPSG
1	10' WALK-THRU PANEL	RSAWT10	4	10' ROUGHSTOCK PANEL	RSP10
1	10'X9' BOW GATE FRAME	RSBF109	1	MOUNTING BRACKET SHEET(F)	RSSPMBF
2	4'X7' BOW GATE	RSBG047	1	SO4 SQUEEZE CHUTE	S04
12	10'X9' BOW GATE	RSBG109	1	SHEETED ADJUST. ALLEY FRAME	SAAF
19	3-WAY CONNECTOR POST	RSCP3	1	AF W/CHUTE ATTACHMENT	SAAFC
3	4-WAY CONNECTOR POST	RSCP4	2	SHEETED ADJUST. ALLEY GATE	SAAG
20	2-WAY GENDER ADAPTOR	RSGA2	2	SWEEP CONNECTOR POST	SSCP
2	4-WAY GENDER ADAPTOR	RSGA4	3	RADIUS BAR	SSRB
1	OPEN BOW GATE	RSOBG	1	RADIUS BOW	SSRBOW





YTS	PRODUCT	PART#	QTY	PRODUCT	PART#
1	NO BACK ALLEY STOP	ASU	3	SORTING GATE/PREG PANEL	RSOPPSG
1	CALF TABLE	CT	2	8' ROUGHSTOCK PANEL	RSP08
1	10' ROUGH STOCK ARENA PANEL	RSAP10	8	10' ROUGHSTOCK PANEL	RSP10
63	12' ROUGH STOCK ARENA PANEL	RSAP12	1	MOUNTING BRACKET SHEET(F)	RSSPMBF
1	10' WALK-THRU PANEL	RSAWT10	1	SO4 SQUEEZE CHUTE	504
1	10'X9' BOW GATE FRAME	RSBF109	4	SHEETED ADJUST. ALLEY FRAME	SAAF
2	4'X7' BOW GATE	RSBG047	1	AF W/CHUTE ATTACHMENT	SAAFC
14	10'X9' BOW GATE	RSBG109	4	SHEETED ADJUST. ALLEY GATE	SAAG
19	3-WAY CONNECTOR POST	RSCP3	1	SHEETED SWEEP ALLEY TURN	SS45
4	4-WAY CONNECTOR POST	RSCP4	2	SWEEP CONNECTOR POST	SSCP
28	2-WAY GENDER ADAPTOR	RSGA2	1	4' SORTING GATE	SSG04
4	4-WAY GENDER ADAPTOR	RSGA4	1	8' SORTING GATE	SSG08
1	OPEN BOW GATE	RSOBG	3	RADIUS BAR	SSRB
1	8' OPEN BOW GATE	RSOBG08	1	RADIUS BOW	SSRBOW
3	OPEN CURVE PANEL	RSOCP			

The Bud Box Corral design was developed by Bud Williams of Bowie, Texas as the result of years of experience and the acceptance of two basic instinctive cattle behaviors: (a) when blocked, cattle want to return to where they came from and (b) animals prefer to go around something they feel pressure from.



BUD BOX #1

A simple single alley system with a working chute. Designed for the cattle to enter the small box and are moved past the opening to the single file chute. When the cattle reach the dead end, they will naturally want to return to their entry point

1	10' PREMIER PANEL	PP10
6	ALLEY FRAME	AF
1	AI/PALPATION CAGE	PC
1	S04 SQUEEZE CHUTE	SO4
1	NO BACK ALLEY STOP	ASU
	16 1 2 11 10	

Designed for larger operations, the Bud Box concept is simple to convert to a two alley system one alley to the working chute; one alley to the

,	12 XY PREMIER FREE SWING	PF5129	
46	12' PREMIER PANEL	PP12	
2	10' PREMIER PANEL	PP10	
8	ALLEY FRAME	AF	
1	AI/PALPATION CAGE	PC	
1	S04 SQUEEZE CHUTE	SO4	
2	NO BACK ALLEY STOP	ASU	
3	ALLEY GATE	AG	
	<u> </u>		

INDICATORS



TRU-TEST S3I SCALE INDICATOR: (S3i)



TRU-TEST EZIWEIGH 7i SCALE INDICATOR: (EZIWEIGH7i)



TRU-TEST ID5000 SCALE INDICATOR: (ID5000)



TRU-TEST XR5000 SCALE INDICATOR: (XR5000)

LOAD BARS



TRU-TEST SCALE MP600 LOAD BARS: (MP600)



TRU-TEST SCALE HD5T LOAD BARS: (HD5T)



TRU-TEST SCALE MP800 LOAD BARS: (MP800)



TRU-TEST SCALE XHD2 LOAD BARS (XHD2)

WEIGH SYSTEMS

www.PRIEFERT.com



S3i INDICATOR & MP600 LOAD BARS:

BRACKETS



SCALE MOUNTING **BRACKETS:** (HD5TB01)



SCALE MOUNTING BRACKETS: (XHDBRACK)



SCALE MOUNTING BRACKETS: (HD5TB04)




XRS STICK READER: (TRUXRS)

PLATFORMS



WEIGHT PLATFORM: (AP600/AP800)





WEIGHT PLATFORM: (WP600)



You can't

manage what you can't measure

Land Grader

Product #: PLG08 | Designed to receive 7/8" pins in the bottom and 3/4" pins at the top (Pins NOT included) | Suggested Horse Power: 45-100



Priefert® 2/RFCT

Direct to your local dealer.


Now you can work directly with the experts at Priefert to design your cattle handling system, arena, stall barn, or other ranch improvement project so that it is specifically tailored to meet your needs. Your order is then delivered directly to your local Priefert Dealer, making it easier than ever to create solutions to challenges faced by today's rancher.







Utility Panel Priefert's Utility Panels are versatile and safe for the vast majority of horse owners' needs. "Fishhook" tops combined with oval end frames and chain connectors help insure a snug fit while eliminating space between panels. J-legs help keep panels from sinking in soft ground and allow panels to slide when portability is required. Priefert is the only panel maker in the industry to use "drilled stays" which increase safety and strength. An Architectural Grade powder coat finish helps this panel resist scratching and the deteriorating effects of the weather. Available in 10', 12', and 16' lengths.



TOUGH PROUGH safe enough for



Premier Pane For over 25 years Priefert's Premier Panels have proven to have outstanding popularity among horse and cattle owners alike. This is our "first" panel and the one that provides the most versatility, superior durability, and arguably the best value of any panel on the market. Our unique Quadraform™ tubing offers increased flexibility while providing amazing capacity for remaining upright should an animal try to go over it. The single piece vertical stay through drilled

rails adds even more strength and safety. An Architectural Grade powder coat finish helps this panel resist scratching and the deteriorating effects of the weather. For round pens, paddocks, corrals, sweeps, or anywhere confinement is needed, Priefert's Premier Panels are a solid choice! Available in 6', 8', 10', 12', 14', and 16' lengths.


Economy Panel Priefert's most affordable panel suitable for horse owners. With loop legs, the economy panel is easy to move around for everyone. Its 65" height, single piece vertical stay and chain connectors enhance safety for horses that accept confinement. Available with an Architectural Grade powder coat finish that resists the elements.

Available in 6', 10', and 12' lengths.*

*Panels are 4" shorter









PREMIER'S BIG BROTHER

The new PPT12 is basically a "big brother" version of our Premier Panel line with two important differences, It is 72" tall, and has our rodeo pin connectors.

This 72" tall panel is available in 12' length.






HORSE-SAFE[™]

Designed for a variety of training applications as originally developed by Pat Parelli. 4 rail, "fishhook" tops, J-legs, chain connectors, Architectural Grade powder coat finish

This 42" tall panel is available in 10' length.



Rough Stock Arena Panel **GREAT IN CROWDING**

SITUATIONS Durable and versatile


Closed tops and bottoms, pin connectors, Architectural Grade powder coat finish.


This 72" tall panel is available in 6', 8', 10', 12', 14', 16' lengths.


Rough Stock Panel

REQUIRES CONNECTOR POSTS GREAT IN CROWDING SITUATIONS

Durable and versatile Closed tops and bottoms, pin connectors, Architectural Grade powder coat finish. Available in 4' thru 16' lengths 72" tall w/Connector Posts. (connector posts sold seperate)
















PART#	L	H	WGHT	COLOR
PG04	4′	38"	34 lbs	
PG10	10'	38"	71 lbs	
PG12	12'	38"	81 lbs	
PG16	16'	38"	106 lbs	

* Also Available in a 3 Rail Design, Call for more information

Rough Stock Gate #RSG

EXCELLENT FOR CROWDING SITUATIONS



PART#	L	H	WGHT	COLOR
RSG08	8′	60"	94 lbs	
RSG10	10'	60"	113 lbs	
RSG12	12'	60"	126 lbs	
RSG14	14'	60"	151 lbs	
RSG16	16'	60"	164 lbs	

All gates are approximately 5" shorter than stated length to allow the gate


Bull Gate

#RG2

EXCELLENT FOR CROWDING SITUATIONS

PART#	L	H	WGHT	COLORS
RG204	4′	50 3/4"	40 lbs	
RG206	6′	50 3/4"	53 lbs	
RG208	8′	50 3/4"	69 lbs	
RG210	10'	50 3/4"	87 lbs	
RG212	12'	50 3/4"	102 lbs	_
RG214	14'	50 3/4"	114 lbs	
RG216	16'	50 3/4"	127 lbs	
RG2BTG18*	18′	50 3/4"	160 lbs	*Galvanized i
RG2BTG20*	20'	50 3/4"	176 lbs	available o

to be hung in line with the fence and still swing through the opening. *18'-20' Gates Bolt Together



For Complete Details Visit www.PRIEFERT.com

l Walkers

PLANETARY GEAR BOX- Never worry

about burning belts again. Priefert Walkers run on

a planetary gear box system similar to those used

in heavy earth moving equipment like track hoes. This provides years of virtually maintenance free,



Utility round pen



Premier round pen-



Premier Tall round pen







This Horse Stock includes a Tie Bar and is ideal for vet work, for use as a wash rack, or anytime you want your horse to stand in

Horse Stock is available pre-assembled (HS) or not assembled (HSNA).




	0			0
Utility R	ound Pens			
Size	Gate	#	Panel	#
UP40	UBG069	1	UP12	10
UP50	UBG069	1	UP12	13
UP60	UBG069	1	UP12	15
UP70	UBG069	1	UP12	18





emier	[,] Tall Round	Pen	s	
Size	Gate	#	Panel	#
PT40	PBGT069	1	PPT12	10
PT50	PBGT069	1	PPT12	13
PT60	PBGT069	1	PPT12	15
PT70	PBGT069	1	PPT12	18







SERIOUS "HORSE POWER" - The power of a Siemens 3 horse power motor has the strength, speed, and torque to withstand 2000 pounds of downward pull

while conditioning up to eight horses at once.



WIRELESS REMOTE CONTROL - Bring your horses from a slow walk to a fast trot with variable speed controls, reverse direction, or even stop the walker all from your front porch using our convenient



CONTROL BOXES - Priefert offers two control boxes to choose from. Our standard push button control box features large labeled buttons and a convenient timer with 3 preset time increments. Our touch screen control box allows you to program automated workouts for your horses. With this added functionality, conditioning your animals can be more precise as time, speed, and direction are determined for each pre-set routine.





- Whisper quiet operation
- Variable speed adjustment
- Operates forward or reverse
- Emergency shutoff
- Solid bottom panels with wire mesh or rail top
- Meavy duty, free-swinging, electrically charged divider panels w/ adj. heights









owners practical solutions for creating a safe, and functional

www.PRIEFERT.com

environment for their valued animals. Available in 10' and 12' lengths.



HSP12W - Premier Stall Panel (Wood Kits Sold Separately)



HSP12SW - Premier Solid Wood Stall Panel (Wood Kits Sold Separately)

Center Door 4' Door includes window.

Additional opening for your choice of a feeder or window

Premier Horse Stalls

A Practical Solution for creating a SAFE

horse environment

HSF12 - Premier Stall Front

(Wood Kits Sold Separately)

Stall feeder or window sold separate


Pin Connectors - NO tools required!

Vertical sliding action door latch.


Architectural Grade powder coat finish

Stall Starter Post required for Assembly (SSP2 or SSP3)

Poly Premier Stalls



HSF12PI - Stall Front Poly Installed



HSP12PI - Stall Panel Poly Installed

	_		
	_	_	
1			

HSP12SPI - Stall Panel Solid Poly Installed



Product#: HSFWIN

This powder-coated window operates on a simple pivot, and is designed to blend in beautifully with the stall's

Product#: HSFF

For convenient feeding without entering the stall, choose Priefert's Premier Stall Feeder as an option



One kit fits one front or one panel. Installation instructions included. For use with Premier Stall Fronts and Panels only.





- 4' door swings in or out
- Easy drop pin connection
- Smooth surface with no sharp edges
- Available with vertical or horizontal rails and solid poly panels

Sheep, Ftog & Goat Panels

SHEEP, HOG & GOAT



Desciption	Length	
4' Panel	48"	AVAIL
5' Panel	60"	GALVA
6' Panel	72"	- INTAL
8' Panel	96"	
10' Panel	120"	
4' Bow Gate	48"	
5' Bow Gate	60"	
6' Bow Gate	72"	_
		_

Part # SHP04

SHP05 SHP06

SHP08

SHP10

SHBG04

SHBG05

SHBG06









ECONOMY BALE

FEEDER(RBFE)







10' BUNK FEEDER W/METAL LINER (FBFWML)

CREEP FEEDER W/CALF **BULL MINERAL FEEDER** PASS PANEL (CFC) **HEAVY DUTY (BMFHD)**



GOAT FEEDER W/ HAY RACK (GFWHR)



BUNK FEEDER (FBFWL)



5' BUNK FEEDER (FBFWL05)



CATTLE R	OUN	D BALE FEEDERS					
PART #	GA	DESCRIPTION	WIDTH	BOTTOM PANEL HEIGHT	OVERALL HEIGHT	WEIGHT	COLOR
RBFE	16	ECONOMY FEEDER W/BAR BOTTOM (COWS)	96"	-	45"	105 LBS	PRIEFERT BLUE
RBFSE	16	ECONOMY FEEDER W/SKIRTED BOTTOM (COWS)	96"	17" SOLID	45"	160 LBS	PRIEFERT BLUE
RBFEG	16	ECONOMY FEEDER W/BAR BOTTOM (COWS)	96"	-	45"	105 LBS	GALVANIZED
RBFHD	14	HEAVY DUTY FEEDER W/BAR BOTTOM (BULLS)	96"	-	45"	210 LBS	GUNMETAL GREY
RBFSHD	14	HEAVY DUTY FEEDER W/SKIRTED BOTTOM (BULLS)	96″	20" SOLID	45″	255 LBS	GUNMETAL GREY

CATTLE B	UNK FEEDERS						
PART #	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LINER DEPTH	WEIGHT	COLOR
FBFWL05	BUNK FEEDER W/POLY LINER	60"	32"	18"	9″	31 LBS	SADDLE BROWN
FBFWL	BUNK FEEDER W/POLY LINER	120"	32"	18"	9″	65 LBS	SADDLE BROWN
FBFWLG	BUNK FEEDER W/POLY LINER & GALV. FRAME	120"	32"	18"	9″	65 LBS	GALVANIZED
FBFWML	BUNK FEEDER W/GALV. UNDER POWDER COAT METAL LINER	120"	32"	18"	9″	97 LBS	BARN RED
FBLINER	REPLACEMENT POLY LINER FOR FBFWL	120"	28"	9″	-	18 LBS	BLACK
FBLINER05	REPLACEMENT POLY LINER FOR FBFWL	60″	28"	9″	-	12 LBS	BLACK

MISC. CA	TTLE FEEDERS & FEEDER PANELS						
PART #	DESCRIPTION	LENGTH	WIDTH	HEIGHT	RADIUS	WEIGHT	COLOR
BMFHD	BULL MINERAL FEEDER - HEAVY DUTY	-	-	16"	46"	19 LBS	BLACK
BMFHDFC	BULL MINERAL FEEDER - HEAVY DUTY W/ FLY CONTROL	-	-	16"	46"	19 LBS	BLACK
WVF2	WEATHER VANE FEEDER	-	-	24"	48"	57 LBS	BLACK
CF	750 LB CAP. CREEP FEEDER W/GALV. UNDER POWDER COAT TUB	44"	48.5"	48.5"	-	135 LBS	PRIEFERT BLUE
CFCP	CALF PASS PANEL FOR CREEP FEEDER	90.5"	-	50.75"	-	94 LBS	PRIEFERT BLUE
CFC	750 LB CAP. CREEP FEEDER W/GALV. UNDER POWDER COAT TUB & CALF PASS PANEL	112″	90″	51″	-	230 LBS	PRIEFERT BLUE
PCPP12	12' CALF PASS PANEL	144"	-	68"	-	147 LBS	GUNMETAL GREY









PASTURE HORSE FEEDER (PHFH)

HAY & GRAIN FEEDER (HGF)

Mile Spring								
HORSE R	OUN	D BALE FEEDERS						
PART #	GA	DESCRIPTION	WIDTH	PANEI	HEIGHT	OVERALL HEIGHT	WEIGHT	COLOR
RBFH	16	HEAVY DUTY SOLID PANEL ROUND BALE FEEDER	96"	30" SC	LID PANEL	34"	116 LBS	SADDLE BROWN
RBFT	16	ROUND BALE TOMBSTONE FEEDER	96"	20" SC	LID PANEL	48"	197 LBS	SADDLE BROWN
HORSE B	UNK	FEEDERS						
PART #		DESCRIPTION	LENGTH	WIDTH	HEIGHT	LINER DEPTH	WEIGHT	COLOR
HFWL	BUNI	(FEEDER W/POLY LINER (LONG LEGS)	60″	32"	18"	9″	48 LBS	SADDLE BROWN
HFWHR2	HOR	SE FEEDER W/HAY RACK & POLY LINER	65"	36"	62"	9″	90 LBS	SADDLE BROWN
HRH	HAY	RACK ONLY FOR HFWL	65"	27"	30"	-	42 LBS	SADDLE BROWN
HGF	HAY	& GRAIN FEEDER	18.5"	21"	27"	-	35 LBS	SADDLE BROWN
PHFH	PAST	URE HORSE FEEDER (ASSEMBLED)	64"	55"	67"	10-1/2"	120 LBS	SADDLE BROWN

All Feeders Now Powder Coated!

SHEEP & GOAT FEEDERS DESCRIPTION WIDTH HEIGHT LINER DEPTH COLOR PART # LENGTH **WEIGHT** SADDLE BROWN GFWHR2 GOAT FEEDER W/HAY RACK & POLY LINER 28" 19" 105 LBS **HAY RACK FOR FBFWL05 40 LBS SADDLE BROWN** FBFWL05 BUNK FEEDER W/POLY LINER 60" 32" 18" 65 LBS SADDLE BROWN FBFWL **BUNK FEEDER W/POLY LINER** 120" 32" **65 LBS** SADDLE BROWN **BUNK FEEDER W/POLY LINER & GALV. FRAME** GALVANIZED FBFWLG 120" 32" 18" 65 LBS BUNK FEEDER W/SLIDE-IN POLY LINER **FBFWSL** 120" 32" 18" 65 LBS **BARN RED** BUNK FEEDER W/GALV. UNDER POWDER COAT METAL LINER 120" 32" 18" **97 LBS BARN RED FBLINER** REPLACEMENT POLY LINER FOR FBFWL 120" 28" 18 LBS BLACK FBLINERO5 REPLACEMENT POLY LINER FOR FBFWL05 60" **12 LBS** BLACK





OVAL WATER TANK (WTO)



WATER TA	ANKS						
PART #	DESCRIPTION	LENGTH	WIDTH	HEIGHT	RADIUS	CAPACITY	COLOR
WTR03	ROUND WATER TANK	-	-	24"	36"	80 GAL	GALVANIZED
WTR04	ROUND WATER TANK		-	24"	48"	158 GAL	GALVANIZED
WTR06	ROUND WATER TANK	-	-	24"	72"	394 GAL	GALVANIZED
WTR08	ROUND WATER TANK	-	-	24"	96"	717 GAL	GALVANIZED
WTO241	OVAL WATER TANK	48"	24"	12"	-	48 GAL	GALVANIZED
WTO261	OVAL WATER TANK	72"	24"	12"	-	71 GAL	GALVANIZED
WTO232	OVAL WATER TANK	36"	24"	24"	-	72 GAL	GALVANIZED
WTO242	OVAL WATER TANK	48"	24"	24"	-	95 GAL	GALVANIZED
WTO252	OVAL WATER TANK	60″	24"	24"	-	118 GAL	GALVANIZED
WTO262	OVAL WATER TANK	72"	24"	24"	-	142 GAL	GALVANIZED



Visit Us On The Web For Complete Details!



THE BEST JUST GOT DEller



Priefert's manual roping chute is the most widely used roping chute in the country. For over 20 years, Priefert has dominated the industry with state-of-the art innovations. The RC19M continues this tradition with a new "squeeze" release and an improved breaking system that guarantees the same release every time with no adjustments required. An updated tailgate linkage allows for an even longer lasting chute. As the Official Chute of the PRCA, USTRC, WSTR, NTRL, WTRC, WCRA, and other major roping organizations, Priefert is the choice of professionals.

RC19M

MANUAL ROPING CHUTE

Number One Choice of Professional Ropers

- ♦ Improved Fingertip Touch Release ♦ Split tailgate opens from either side ♦ Quiet
- ♦ Improved tailgate and breaking system
- ♦ Constructed from Galvanized Sheet Metal

Total Overall Dimensions:

Length: 86" Width: 36" Height: 63"























Riding Arenas
Rough Stock Arenas

From the basic riding arena to a combination rough stock and roping arena, Priefert has a kit to fit every application. Designed for versatility, adaptability, and ease of installation, a Priefert arena is not only tough and durable, but also time saving and low maintenance.

PRACTICE LIKEYOU COMPETE





RC98SCOREAI

SCORE CHUTE

ULTIMATE Training aid for Ropers

◆ Remote controlled ◆ Split tailgate opens from either side ♦ Quiet! ♦ Interior Neck Gate allows the roper to hold the steer inside the chute and repeatedly open the front gate to "score" his or

Total Overall Dimensions:

Length: 82" Width: 36" Height: 68"



RC19COMP

COMPETITION ROPING CHUTE Official Roping Chute used at NFR • Split tailgate

opens from either side • Quiet • Improved Fingertip touch release gate. • Extra length for chute help as steer or calf "pushers" ♦ Side window for easier access putting on neck ropes

Total Overall Dimensions: Length: 106" Width: 36" Height: 64"



AUTOMATIC ROPING CHUTE

Fully Automatic ◆ Remote controlled ◆ Split tailgate opens from either side ♦ Quiet! ♦ Great training aid; excellent for scoring; minimizes labor. ♦ In case of power loss this roping chute can be operated manually.

Total Overall Dimensions: Length: 86" Width: 36" Height: 68"



RCCALF CALF ROPING CHUTE

Designed with the help of Roy Cooper

♦ Must-have for tie-down ropers ◆ Quiet ◆ Split tailgate ◆ Fingertip touch release gate. Available in Manual or Automatic

Total Overall Dimensions: Length: 63" Width: 21" Height: 50"



RC98Q36

SOLAR POWERED ROPING CHUTE Q36 Solar Powered Box unit requires no electrical

cords or air lines, just the sun! • Quiet Front Release Gates ♦ Remote controlled ♦ Split tailgate opens from either side • Battery backup allow it to operate in the event that there is no sunlight to recharge the

Total Overall Dimensions: Length: 82" Width: 36" Height: 68"

Roping Chute accessories



CHUTE ADD-ON



ROPING BOXES HEADROX18



ALLEY PANELS 8' Section



CHUTE (RCS98SC)





- Roll gate guides, located at the bottom of each chute, provide safer, non-obtrusive operation
- Billboard attachment for sponsor ad placement
- Platform included







- No Hydraulics
- •Levels & Conditions
- Push/Pull with Ease
- Fits Through Roping Boxes,
 Alleys, & Gates
- GREAT FOR ALL DISCIPLINES!!

PART #	DESCRIPTION	WEIGHT	SUGGESTED HORSEPOWER	# OF S-TINES
AG06	6' Arena Master	699 lbs	35 +	18
AG06NB	6' Arena Master NO BLADE	564 lbs	35 +	18
AG06BB	Back Blade Only	137 lbs	-	-
AG08	8' Arena Master	915 lbs	40 +	24
AG08NB	8' Arena Master NO BLADE	694 lbs	40 +	24
AG08BB	Back Blade Only	175 lbs	-	-



Simply the Safest Kennel Priefert on the market! Dog Kennels

Priefert's Professional Grade Kennels meet and exceed the durability requirements of professional boarding operations, breeders, trainers, and animal hospitals. Designed specifically with unique features that enhance animal safety, ease of assembly, and uncomparable versatility.



- NO Tools Required for Assembly
- Easy assembly with standard connectors
- Easy clean out with raised bottom rails
- Lockable door latch
- Architectural Grade powder coat finish
- Galvanized Tubing



* Also available in a 4' Front or Panel Option

"Priefert kennels have sheltered our police K9's for nearly a decade now. Even after all that time, through severe Wisconsin winters and hot summers, the kennels look and perform as well as the day they were installed. The panels and mounts have held up remarkably well. Certainly the materials and coatings that Priefert uses are of the highest quality.




Two directional 15° tilt
 Leveling shoes for ease of spreading

We rely on our K9's to protect and serve our community and, as such, we take very good care of them. Our use of Priefert kennels has helped us to do just that. While our K9's protect our community, your kennels protect them when they return home after a hard day's work."

Lt. Steve Elliott | Appleton, WI Police Dept.

Kennel Accessories



KENNEL
PRIVACY PANEL:
4'X5'(KPP05)
4'X10'(KPP10)




KENNEL SHADE & SUPPORT BOWS:
Kennel Shades:
5'X10'(KS510)
10'X10'(KS1010)
Kennel Bows:
5'(KB5) | 10'(KB10)







30 PONDEROSA FENCE LIMBSAW 31 www.PRIEFERTFENCE.com www.LIMBSAW.com • 800.527.8616





NO WELDING!

WELDING







Call Our Friendly Sales Team For Assistance 800.527.8616









THE LIMBSAW is a tree trimming attachment that mounts directly to the front end loader of your tractor, skid loader, or backhoe. This commercialgrade chainsaw attaches easily to a receiver on the back of your front end loader or bucket, and connects to your tractor's auxiliary hydraulics. The unit comes with an eight foot mast that can reach limbs 18 to 20 feet when attached to an average loader. The LIMBSAW attachment folds into a convenient transport position, and at only 84 lbs, makes it easy to remove and store in your shop or garage.







Priefert is proud to combine its expertise in manufacturing and its experience with animal flow and animal safety to produce top quality wildlife equipment.

From feeders to panels, Priefert Wildlife Equipment is durable, reliable, and animal safe.

www.priefertwildlife.com | 800.527.8616

BROPRIEFERT_V15_1019

















