

Cattle ♦ Horse ♦ Panels • Kennels • & More






Product Guide

Have you been... Priefertized?

Would you like to spend two days on a working ranch learning valuable information that can double and even triple your company's current sales in livestock equipment? Thousands have done it and you can too! "Priefertization" is a dynamic, fun-filled, two-day training unlike any other class you've encountered. We're not just "outside the box", we're nowhere near it. Each graduating class learns to merchandise and sell ranch equipment in any market. This "hands on" training program is 50% motivation and 50% education. Participants leave here refreshed, educated, and motivated to increase sales not only in Priefert Ranch Equipment but in all products relating to livestock.

You'll begin your day with a plant tour and watch product transformed from master coils of steel to the finished item you sell today. You'll learn the latest merchandising and sales techniques from the dynamic Priefert sales team, and you'll even get a chance to work cows on Priefert Ranch. You'll never have more fun getting dirty, and you'll quickly see why we say Priefert is "Built by Ranchers – for Ranchers".

This program has proven over and over that the combination of education and motivation is a winning formula that can be measured in increased sales. We consistently receive positive feedback from participants sharing how successful the program has been for their business. Priefert is committed to helping you succeed. Don't miss out on this valuable training tool... Get Priefertized!



fun-filled seminar, contact your local Priefert sales representative or call Priefert's Sales Office at 1-800-527-8616.

Priefert® Rodeo & Ranch Equipment

Why a Product guide?

The Priefert Product Guide is intended for store personnel who meet their customers face-to-face every day. The convenient slim design makes it easy to carry in your pocket, meaning it's readily available for answering any questions customers may have regarding the specifications, sales points, features, or benefits of any Priefert product. This book will save you steps and help you give your customers the best service possible. Keep it with you during all working hours; make it "yours"! Use it, write in it, and highlight things that are most important to you; wear it out!

For additional details on things not found in this guide, check out www.priefert.com or call our inside sales staff at 1-800-527-8616. Also, invite your customers to visit us on the web!



AMERICA'S #1 NAME
RANCH & RODEO EQUIPMENT

for over 50 years...

TABLE OF CONTENTS

TABLE OF CONTEN	118
Cattle Equipment	
Squeeze Chutes	8
Handling Equipment	11
Headgates	12
Headgate Accessories	13
Accessories	14
Premier Open Sweep Systems	16
Rough Stock Open Sweep Systems	22
Solid Sheeted Sweep Systems	28
Corral Systems	33
Loading Chute	33
Scales	34
Horse Equipment	
Premier Stalls	38
Stall Accessories	42
Panel Walkers	44
Lead Walkers	45
Riding Arenas	46
Arena Groomer	46
Horse Stock	47
Round Pens	48
Panels	
Economy Panels	52
Utility Panels	53
Premier Panels	54
Premier Tall Panels	55
Parelli Panels	56
Sheep, Hog, & Goat Panels	56
Roughstock Panels	57
Roughstock Arena Panels	58
Gates	
Economy Gates	60
D-Gates	61
Ponderosa Gates	61
Bull Gates	61
Rough Stock Gates	62
Gate Accessories	63

TABLE OF CONTENTS

Roping/Rodeo	
Roping Chutes	66
Roping Accessories	70
Bucking Chutes	74
Bucking Chute Accessories	76
Mutton Bustin Chute	76
Feeders	
Bunk Feeders	78
Cattle Feeders	79
Horse Feeders	80
Sheep, Hog, & Goat Feeders	81
Water Tanks	
Water Tanks	84
Horse Waterer	85
Kennels	
Kits	88
Components	89
Accessories	90
Fencing	
Ponderosa	92
Fencing Aids	93
Poultry Equipment	
Litter Saver	96
Litter Blade	96
Chain Harrows	97
Limbsaw	
Limbsaw	99
Land Grader	
Land Grader	100
Toys	
Priefert Toys	101

WARRANTY INFORMATION

Limited Warranties:

Priefert Manufacturing Company, Inc., ("Priefert") 2630 South Jefferson, P.O. Box 1540, Mount Pleasant, TX 75456-1540, warrants for one (1) year from the purchase date to the original non-commercial, governmental, or municipal purchaser ("Purchaser") and warrants for six (6) months to the original commercial or industrial purchaser ("Purchaser") that the product purchased are free from defects in material or workmanship. Priefert will replace or repair, free of charge to the original purchaser any part(s) found, upon examination at our factory, to be defective under normal use and service due to defects in material or workmanship, provided that the original purchaser:

- a. Notifies Priefert in writing of any defect in material or workmanship within the above specified warranty period.
- Returns must be routed through an authorized Priefert dealer or distributor from whom the purchase was made.
- c. Purchaser is responsible for cost of shipping.

In no event will Priefert be held liable under this warranty unless written notice is received and failure must have occurred within the warranty period. Genuine Priefert replacement parts and components will be warranted for 90 days from date of purchase, or the remainder of the original equipment warranty period, whichever is longer.

This limited warranty does not apply to any part of the product which has been subjected to improper or misintended use, negligence, alteration, modification, or accident, damaged due to lack of maintenance or use of wrong oil or lubricants, or repairs that have been made with parts other than those obtainable through Priefretr, or which has served its usual life. This limited warranty does not apply to any expendable item such as blades, shields, guards, or pneumatic tires, or other trade accessories since these items are warranted separately by their respective manufacturers, except as specifically noted in your Operator's Manual.

Except as provided herein, no employee, agent, Dealer, or other person is authorized to give any warranties of any nature on behalf of Priefert. Only Priefert is authorized to make any representation to the purchaser concerning "normal" use and service for its product as described in the Operator's Manual, or in authorized printed materials or stickers affixed to the product.

If after examination of the product and/or part(s) in question; Priefert finds them to be defective under normal use and service due to defects in material or workmanship,

Priefert will:

- 1. Repair or replace the defective product or part(s); if Priefert has made several reasonable number of attempts in repairing the product and/or part(s) to conform to the warranty; then
- 2. Priefert will replace part(s) or product.
- 3. Purchaser is responsible for any labor charges exceeding a reasonable amount as determined by Priefert and for returning product and/or part(s) to the Dealer, whether or not the claim is approved. Purchaser is responsible for the transportation cost for the product or part(s) from the Dealer to the factory.


The choice of remedy shall belong to Priefert. Repair or replacement are the only remedies against Priefert under this limited warranty.

Limitation of Liability:

- 1. Priefert disclaims any express (except as set forth herein) and implied warranties with respect to the product including, but not limited to, merchantability and fitness for a particular purpose.
- 2. Priefert makes no warranty as to the design, capability, capacity, or suitability for use of the product.
- 3. This warranty shall not be interpreted to render us liable for injury or damages of any kind or nature to person or property. Priefert will not be liable for any special, incidental or consequential damages based upon breach of warranty, breach of contract, negligence, strict tort liability, or any other legal theory. Such damages include but are not limited to loss of crops, loss of savings or revenue, cost of capital, loss of use of equipment, facilities or services, down time, expense or loss incurred for labor, supplies, substitute machinery, rental, and claims of third parties including customers, and injury to property.

Supplementary:

- 1. Proper venue for any lawsuits arising from or related to this limited warranty shall be only in Titus County, Texas.
- 2. Priefert may waive compliance with any of the terms of this limited warranty, but no waiver of any terms shall be deemed to be a waiver of any other term.
- 3. If any provision of this limited warranty violates any applicable law and is held unenforceable, then the invalidity of such provision shall not invalidate any other provisions.
- 4. Applicable law may provide rights and benefits to purchaser in addition to those herein.



Squeeze Chutes

Squeeze Chutes

S04 With Model 91 Headgate

Priefert's number one selling squeeze chute of all time



Features

- Manual/Automatic Model 91 Headgate
- Dual tailgate w/one side opening option
- Contoured side squeeze
- Floating floor allows for easy width adjustments
- Infinite Locks Guaranteed For Life

Specifications			
Product #	SO4	(w/HG91)	
Overall Length	94.5"	Inside Length	87″
Overall Width	53"	Inside Width	24"*
Overall Height	80"	Inside Height	62.5"
Weight	1210 lbs. (All weights Approx.)		
Color	Dip Painted Priefert Blue		

*Inside Width: 24" at the Belly Pipe, 30" at the bend of the contoured side panels

S0191 With Model 91 Headgate

Economy-Minded Rancher with a Few Extras



Features

- Designed for the majority of today's cattle operations
- · Obvious choice for economy-minded ranchers, who want an automatic headgate option
- Model 91 Manual/ Automatic Headgate
- Infinite Locks Guaranteed For Life

Specifications			
Product #	SO191	(w/HG91)	
Overall Length	90″	Inside Length	81″
Overall Width	42"	Inside Width	23″*
Overall Height	78″	Inside Height	57"
Weight	976 lbs.	(All weights App	orox.)
Color	Dip Painted Priefert Blue		

^{*}Inside Width: 23" at the Belly Pipe, 28"" at the bend of the contoured side panels

Squeeze Chute & Cali Table

Handling Equipment

S01 With Model 64 Headgate

The "Rancher"

Features

Cattle Equipment

- · Obvious choice for economy-minded ranchers
- Includes Model 64 Manual Headgate



Specification	S		
Product #	SO1	(w/HG64)	
Overall Length	90″	Inside Length	81″
Overall Width	42"	Inside Width	23″*
Overall Height	78″	Inside Height	57"
Weight	976 lbs. (All weights Approx.)		
Color	Dip Painted Priefert Blue		

^{*}Inside Width: 23" at the Belly Pipe, 28" at the bend of the contoured side panels

Calf Table

Features

- ·Safest most productive way to work calves up to 450 lbs.
- · Easiest tilting table on the market
- Durable & Reversible
- · Vertical bars are removable for total access
- · Bottom panel doubles as medicine tray
- •Three position adjustable floor width
- · Includes leg hobble & head restraint chain
- Fits Priefert CA04-2 Wishbone Carriage (no receiver necessary)

Specifications		
Product #	СТ	
Length	62"	
Width	44"	
Height	58"	
Weight	380 lbs.	
Color	Blue (Architectural Grade Powder Coat Finish)	

Palpation Cage

· Offers easy access from either side of cow Doors lock in place for maximum safety

Specifications Product # PC Length 36" (Outside) Width 26" (Inside) Height 73" Weight 175 lbs.

Palpation Cage Collapsible

Color

- · Offers easy access from either side of cow
- Doors lock in place for maximum safety

Specifications Product # **PCC** 39" (Outside) Length Width 39" (Inside) 81" Height Weight 175 lbs. Color Dip Painted Priefert Blue

NOTES

Dip Painted Priefert Blue *Requires adaptor (SC13PGA) to attach to Model SC13 Squeeze Chute

Headgates

HG64

Manual Only

Features

Cattle Equipment

- · Always adjusts to correct locking width for any size animal
- Reversible & Portable
- 5 Year Warranty
- Includes head chain



Specifications	;	
Product #	HG64	
Width	48"	Opening Width: 26"
Height	73"	Inside Height: 55.5"
Weight	166 lbs.	
Color	Dip Painted Priefert Blue	

HG91

Automatic & Manual

Features

- Switch to Self Catch with a "Flip of the Lever"
- Reversible & Portable
- Infinite Locks Guaranteed For Life*
- · Always adjusts to correct locking width for any size animal
- 5 Year Warranty
- Includes head chain



Specifications	;		•
Product #	HG91		
Width	52"	Opening Width: 28"	
Height	69"	Inside Height: 60"	
Weight	215 lbs.		
Color	Dip Painted Priefert Blue		

^{*} Lubricate infinite locks with light oil (i.e. original WD-40). DO NOT use heavy oil or any oil with Teflon or silicon additives.

Related Items







Head Chain

Headgate Accessories

HGS91

Headgate Stand (for all models)

Features

- · Allows a headgate to be mounted at the end of a working alley in place of a squeeze chute
- Fits all Priefert headgate models
- Ideal for permanent corrals or portable systems
- Premier panels fit and chain between brackets "inside" of headgate stand frame
- Architectural Grade Powder Coat Finish

Specifications		
Product #	HGS91	
Length	22-3/4"	
Width	32"	
Height	78"	
Weight	103 lbs.	
Color	Gunmetal Grey	

HC Head Chain

Features

- 1/0 Machine twist chain
- · Included with all Headgate and Squeeze Chute purchases



Specifications			
Product #	нс		
Length	84"	Weight	1.7 lbs.

HGNE Headgate Neck Extension

Features

- Adds 5" of neck access
- · Limits head movement



Accessories

BLINDER

Features

Cattle Equipment

- Reduces side visiblity to encourage cattle flow toward the headgate
- Also Avaiilable in 10-Pack (BLINDER10)

Specifications			
Product #	# BLINDER or BLINDER10		
Length	24"	Weight	3.5 lbs. each

Wishbone Carriage

Features

- Easily the most portable means of moving either a Priefert Squeeze Chute or a Calf Table
- Fits only Squeeze Chutes manufactured after 8/5/2004
- Receiver required for Squeeze Chute transportation w/ CA04-2
- NOTE: Inflate tires to 12 lb. maximum pressure

Specifications		
Product #	CA04-2	
Length	113″	
Width	71.5″	
Weight	186 lbs.	
Color	Priefert Blue	
Ball Coupler	2"	


• CA04-2 Fits Model S01, S0191, S04 Chutes & CT

Carriage Receiver

Features

- •Adaptors for Wishbone Carriage CA04-2
- CRS0164- fits Model S01 Chute
- CRS01-2 fits Model S0191 Chute
- CRS04-2 fits Model S04 Chute

Specifications			
Product #	CRS0164	CRS01-2	CRS04-2
Length	56"	56"	56"
Width	5"	5"	5″
Height	5″	5"	5″
Weight	46 lbs	46 lbs	47 lbs
Color	Dip Painted Priefert Blue		



NOTES	•
-------	---

Premier Open Sweeps

Premier Open Sweeps

PREMIER OPEN SWEEPS

This rugged, completely reversible crowding system can be used as a portable or permanent working corral. Either way, it provides a durable and affordable crowding system that requires less labor for working cattle.


Priefert's innovative, user-friendly panel design allows you to build a complete system or add what you need to an existing corral. Our chain connection panels assemble easily and fit tighter than any pin connection panels. The heavy gauge tubular steel construction allows these sweeps to be portable and our architectural grade powder coat gives our panels a durable finish. Available in 90° and 180° sweeps, these systems and corrals are versatile enough for herds of any size.

Working Alley


Cattle Equipment




135° Open Sweep 1



90° Open Sweep 1




90° Open Sweep 2 Product #: PS13590-2 - 90° Sweep




PSCP135 (2) PSSP135 (1) PS90 (1) SSRB (2) PSBG135 (1)

135° Open Sweep 2



PSCP135 (3) PSSP135 (1) SSRB (2) PSBG135 (1) PP12 (4) AF (4) ASU (1

135° Open Sweep 3




Premier Open Sweeps

Premier Open Sweep Components

135° Open Sweep 4

Cattle Equipment




PSG (1)

PSBG135 (1)

Open Sweep 7

PSCP135 (3)

PSSP135 (1)




Premier Panels

Product #: PP--Lengths: 6', 8', 10' 12, 14' & 16' - 64" Tall
16 ga. Quadraform Tubing

135° Curved Panel

Product #: PSCP135 - Curved Panel used to create sweep tub- 64.5" Tall Used in 90 & 135° Sweep Systems 16 ga. Quadraform Tubing



135° Straight Sweep Panel

Product #: PSSP135- Panel used to create alley entry from sweep Length: 10'6" Used in all Premier Open Sweep Systems 16 ga. Quadraform Tubing



135° Bow Gate w/ Alley Frame

Product #: PSBG135

Serves as the sweep gate and provides a stable connection point for attaching the working alley to the sweep tub.

Double Piston Lever Latch

16 ga. Quadraform Tubing



90° Panel

Product #: PS90

Designed for use with 90° Premier Open Sweeps This straight panel is used to complete the sweep tub 16 ga. Quadraform Tubing



Related Items







Premier Open Sweep Components

AF - Alley Frame

Cattle Equipment

Supports Alley for 25" Inside Alley width

	· · · · · ·	
Specifications		
Product #	AF	
Width	32"	
Height	76″	
Weight	41 lbs.	
Color	Gunmetal Grey	



AG - Alley Gate

Alley support and sliding blocking gate for alley

Specifications		
Product #	AG	
Width	34"	
Height	75″	
Weight	153 lbs.	
Color	Gunmetal Grey	



PSG - Premier Sorting Gate

Provides 4' gates on both sides of the alley to create a 3-way sorting option

Specifications		
Product #	PSG	
Width	41.5"	
Frame Height	89"	
Weight	150 lbs.	
Color	Gunmetal Grey	



ASU - Universal Alley Stop

Prevents the backing of bulls, cows, and calves

Specifications		
Product #	ASU	
Width	38"	
Weight	44 lbs.	
Color	Gunmetal Grey	



Solid Sweep Radius Bar


Specifications			
Product #	Length	Weight	Color
SSRB	122″	14 lbs.	Gunmetal Grey


NOTES		

Rough Stock Open Sweeps


ROUGH STOCK OPEN SWEEPS

Priefert's Rough Stock Open Sweeps improve the flow of cattle by pivoting our sweeping bow gate at the alley. Eliminating the corner found with the standard design of 180 degree sweeps, a 135° sweep is simply a practical design that provides benefits that reduce stress on livestock and operators alike. The cost savings and reduction of labor in assembly further increases the attractiveness of this design. A full array of optional components offer cattle owners the opportunity to fit this system into existing corrals or build a complete set of pens using either our 6' Tall Premier Panels, Rough Stock Arena Panels, or the Rough Stock Panel itself.






Rough Stock Open Sweeps





RSAF (3)

ASU (1)



RSP10 (4)

Cattle Equipment

Rough Stock Open Sweeps

Components



Cattle Equipment







RSOCP (3) RSOPPSG (2) SSG04(1) SSG08(1) RSP10 (6) SSRB(3) SSCP(2)

RSOS-15

This reversible 135° "Revolution" Sweep is designed from our Rough Stock components. Adding the 8' Rough Stock Bow Gate makes for easy load out before entering an alley

SAAF(2) SAAFC (1) SAAG (3) SSRBOW (1)




RSOBG (1)



SSRB(3) SSRBOW (1) RSOCP (3) RSOBG (1) RSOBG08 (1)

RSOS-90

The RSOS-90 is made from the same tough Roughstock panels as the 135 degree systems, and can help fit a working system into the tightest of barns.



SSRB(1) SSRBOW (1) RSOCP (2) RSOPWAF (1) RSOBG10180 (1)

RSOS-180

Expanding our RSOS-90 to 180 degrees, this system works much like the Premier OS-2, allowing for a large number of cattle to be loaded in the tub, ready to sweep down the alley.



SSRB(**3**) SSRBOW (**1**) RSOCP (**4**) RSOPWAF (**1**) RSOBG10180 (**1**)

ASU- Universal Alley Stop


Prevents the backing of bulls, cows, and calves

Specifications	
Product #	ASU
Width	38"
Weight	44 lbs.
Color	Gunmetal Grey



RSOBG- Rough Stock Open Bow Gate

Product #: RSOBG Sweep Gate for Rough Stock Sweeps Weight: 308 lbs



RSOBG08- Rough Stock 8' Open Bow Gate

Product #: RSOBG08

Used in Rough Stock Open Sweep tubs as a sorting/load gate **Length:** 8' | **Weight:** 221 lbs



RSOCP- Rough Stock Open Curved Panel

Product #: RSOCP

Curved Panel used to create sweep tub 2" OD 14 ga. tubing **Weight:** 128 lbs



Components

Components

RSOPPSG-RS Open Preg Panel w/Sorting Gate


Product #: RSOPPSG

Can be used as a sorting gate or to provide access for palpation 2" OD 14 ga. tubing

Weight: 256 lbs

Cattle Equipment

*Requires Connector Posts or Alley Frames / Gates



RSOSP-RS Open Straight Sweep Panel

Product #: RSOSP

This panel serves as a blocking point in the sweep tub to direct cattle into the alley

2" OD 14 ga. tubing **Weight:** 112 lbs



RSP-Rough Stock Panel

Product #: RSP

Lengths: 4', 5', 6', 8', 9', 10', 12', 14', 16' Used in Crowding Areas, Sweeps, or Sorting Pens 2" OD 14 ga. tubing

*Requires Connector Posts or Alley Frames / Gates



RSAF - Alley Frame

Supports Alley for 30" Inside Alley Width

Specifications		
Product #	RSAF	
Width	38"	
Height	78″	
Weight	74 lbs.	
Color	Gunmetal Grey	



SAAF- Sheeted Adjustable Alley Frame

Adjusts alley to 4 widths: 18", 21", 25", 28"

Specifications	
Product # SAAF	
Height	80"
Weight	113.5 lbs
Color	Gunmetal Grey



SAAFC- Sheeted Adj. Alley Frame w/ Chute Attachment

Allows for attachment of Models S01, S0191, or S04 Squeeze Chute to adjustable alley (SC13 requires additional adaptor)

Product #	SAAFC	
Height	86"	
Weight	114 lbs.	
Color	Gunmetal Grey	



SAAG- Sheeted Adjustable Alley Gate

Heavy Duty roll gate for blocking cattle

Product #	SAAG
Width	40.5"
Weight	338 lbs.
Color	Gunmetal Grey



SS45 - Sheeted Sweep 45° Turn

Adds a 45° Turn to alley

Kit includes: 1-Sheeted 45° turn base, 1-45° turn inner panel, 1-45° turn outer panel

Product #	SS45	
Weight	170 lbs	
Color	Gunmetal Grey	



SSCP - 2-Way Female Connector Post

Product #	Height	Weight	Color
SSCP	75"	14 lbs.	Gunmetal Grey

SSRB -Solid Sweep Radius Bar

Product #	Height	Weight	Color
SSRB	122″	14 lbs.	Gunmetal Grey

SSRBOW - Solid Sweep Radius Bow

Product #	Weight	Color
SSRBOW	49 lbs.	Gunmetal Grey


Sollid Sheeted Sweeps

Solid Sheeted Sweeps

SOLID SHEETED SWEEPS

Cattle Equipment

Priefert's Solid Sweep System has several unique, practical features not found in most other solid sweeps. Pivoting our sweeping bow gate at the alley improved the flow of cattle by eliminating the corner found with the standard 180 degree sweeps. By eliminating catwalks, we improved safety and provided another cost saving benefit for operators. Spring loaded, double piston latches in the sweep increase user safety. An optional second bow gate offers the opportunity for loading directly from the sweep. All alley and sweep panels are designed to provide easy access for "pour-on" application of insecticides.



Solid Sweep 2

Product #: SS-2 - 135° Sweep w/ 30' Adj. Alley & Preg Panels







SAP (4) SPPSG (2) SAAF (2) SAAFC (1)

Solid Sweep 4

Product #: SS-4 - 135° Sweep w/ 20' Adj. Alley



ASU (1) SCP (3) SBG (1) SSP (1) SSRB (3) SSRBOW (1)



Solid Sweep 5

Product #: SS-5 - Four 10' Alley Panels and 3 Adi. Alley Frames can serve as a working alley for any set of pens or add length to existing









ASU (1)

SAP (4)

SAAF (2)

SAAFC (1)

Solid Sweep 9

Product #: SS-9 - 135° Solid Sweep w/38' Adj Alley, 8' Section behind preg panels for use w/ scale platform(sold separate), & 8' load out gate









SSBG08 (1) SSCP (2) SSRB (3) SSRBOW (1)














SPPSG (2) SAPO8 (2) SAAF (1) SAAG (3) SAAFC (1)

Solid Sweep 12

Product #: SS-12 - 135° Sweep w/30' Adj. Alley, additional sorting alley, preg panels, & load out gate





SAP (6) SAAF (2) SAAFC (1) SAAG (3) SPPSG (2)





SSBG08 (1) SSG08 (1)

Solid Sweep Systems

Solid Sweep Components

Solid Sweep 15

Cattle Equipment

Product #: SS-15 -This reversible 135° "Revolution" Sweep is designed from our Sheeted Rough Stock components. Adding the 8' Sheeted Bow Gate makes for easy load out before entering an alley.





INLINE-90


Do you like our Roughstock Sweeps, but don't have the space to allow for a traditional sweep? Priefert has you covered with the Inline series. Built with Roughstock Open sweep components, this reversible sweep will allow you to push cattle through the tub to maintain efficiency within limited space.








INLINE-135







RSOBG10180 (1) SCP (2)

SAP (1)

SBG-Sheeted Bow Gate

Product #: SBG

Sweep gate for sheeted sweeps

Weight: 386 lbs



SCP - Sheeted Curved Panel

Product #: SCP | Curved Panel used to create sweep tub 2" OD 14 ga. tubing 14 ga. sheet steel Weight: 187 lbs



SSP - Straight Sweep Panel

Product #: SSP | This panel serves as a

blocking point in the sweep tub to direct cattle into the alley 2" OD 14 ga. tubing 14 ga. sheet steel



SAP - Sheeted Alley Panel

2" OD 14 ga. tubing 14 ga. sheet steel

Weight: 184 lbs

*Requires Connector Posts or Alley Frames / Gates

Specifications		
Product # SAP08 SAP		SAP
Length	92"	116"
Weight	154 lbs.	191 lbs.



SPPSG -Sheeted Pregnancy Panel

Product #: SPPSG

Can be used as a sorting gate or to provide access for palpation 2" OD 14 ga. tubing

Weight: 256 lbs

*Requires Connector Posts or Alley Frames / Gates



SSRB-Solid Sweep Radius Bar

Specifications			
Product #	Length	Weight	Color
SSRB	122"	14 lbs.	Gunmetal Grey

Solid Sweep Components

SAAF- Sheeted Adjustable Alley Frame

Adjusts alley to 4 widths: 18", 21", 25", 28"

Specifications		
Product #	SAAF	
Height	80″	
Weight	113.5 lbs	
Color	Gunmetal Grey	



SAAFC- Sheeted Adj. Alley Frame w/ Chute Attachment

Allows for attachment of Models S01, S0191, or S04 Squeeze Chute to adjustable alley (SC13 requires additional adaptor)

Specifications		
Product # SAAFC		
Height	86"	
Weight	114 lbs.	
Color	Gunmetal Grey	



SAAG- Sheeted Adjustable Alley Gate

Heavy Duty roll gate for blocking cattle

Specifications		
Product #	SAAG	
Width	40.5″	
Weight	338 lbs.	
Color	Gunmetal Grey	



SS45 - Sheeted Sweep 45° Turn

Add a 45° Turn to alley Kit includes: 1-Sheeted 45° turn base, 1-45° turn inner panel, 1-45° turn outer panel

Specifications		
Product # SS45		
Weight	170 lbs	
Color Gunmetal Grey		



Corral Systems



All Priefert Sweep Systems can be adapted to work with any corral.

Including pre-existing permanent or portable facilities.
(Corral layout may vary slightly depending on the sweep)



visit www.priefert.com to check out our layouts

Loading Chute

PLC12 | Priefert Loading Chute

Provides a safe way for loading cattle in or out of a trailer.

Specifications			
Product #	PLC12		
Length	12′		
Width	30"		
Height	104"		
Weight	1655 lbs.		
Color	Black		



Tru Test Scales

Tru Test Scales

Scale Indicators





S3i

Cattle Equipment

EZIWEIGH7i

Product #	Description	
S3i	Entry level weight scale indicator	
EZIWEIGH7i	Setting the standard in efficient and productive animal management	

Bluetooth Scale Indicators





ID5000

XR5000

Product #	Description
ID5000	Mid-Level Bluetooth
XR5000	Ultimate Bluetooth

Weigh System



Product #	Includes	
S3	S3i indicator, MP600 load bars, 110 v mains charger, mounting bracket and bolts for platform assembly.	

Scale Loadbars



MP600

Product

MP800

HD5T

acity Live Capacity

s 3300 lbs

XHD2

r rouuct #	Total Capacity	Live Capacity
MP600	4400 lbs	3300 lbs
MP800	6600 lbs	4400 lbs
HD5T	11,000 lbs	-
XHD2	10,000 lbs	-

Weighing Platforms





Product #	Dimensions	Use with
AP600	24" x 87.5"	For use with MP600 Load Bars
AP800	34" x 87.5"	For use with MP800 Load Bars
S1PLAT	24" x 48"	For use with S3 Weigh System
WP600	24" x 72"	Wood Platform For use with S3 Weigh System







Scale Mounting Brackets HD5TB01 For use with Model S01 and S0191
Squeeze Chute











XRS Stick Reader TRUXRS-BT | Rapidly reads electronic ID tags











Scale Mounting Brackets XHDBRACK | For mounting XHD2 load bars to any Priefert squeeze chute



Premier Stall Fronts

Premier Stall Panels

HSF - Horse Stall Fronts

Horse Equipment



SPECIFICATIONS				
Product # Length Height Weight				
HSF10	10′	90"	195lbs	
HSF12	12′	90″	210lbs	

Vertical Bar Spacing: 2.25" between each bar

Door Opening Width: 41.5"

Door Window Dimensions: 19" wide x 33" tall

Front Panel Window/Feeder Opening: 28" wide x 33" tall Color: Brown (Architectural Grade Powder Coat Finish)
Stall Starter Post Required (sold separately)

Premier Horse Stall Front Features

- •Our Premier Stall Fronts are a safe, attractive, and affordable option for today's horse owners
- Premier Stall Fronts have a center open door design, with a 4' wide door that opens to a 41.5" access width
- Each Premier Stall Front includes an opening that will accept either a window or a feeder. These components pin to the frame at two connection points.

FEEDERS, WINDOWS & WOOD KITS
SOLD SEPARATELY

Related Items







HSP--W - Horse Stall Panel Bar/Wood



SPECIFICATIONS			
Product #	Length	Height	Weight
HSP02W	2'	90"	38
HSP04W	4'	90"	75
HSP10W	10'	90"	136
HSP12W	12'	90"	173

Vertical Bar Spacing: 2.25" between each bar

Color: Brown (Architectural Grade Powder Coat Finish)

HSP--SW - Horse Stall Panel Solid Wood



SPECIFICATIONS			
Product #	Length	Height	Weight
HSP02SW	2'	90″	39 lbs
HSP04SW	4'	90″	75 lbs
HSP10SW	10'	90″	125 lbs
HSP12SW	12'	90"	148 lbs

Color: Brown (Architectural Grade Powder Coat Finish)

38

Premier Poly Stall Fronts

Premier PolyStall Panels

HSFPI - Poly Horse Stall Fronts



SPECIFICATIONS				
Product # Length Height Weight				
HSF10PI	10′	90″	195lbs	
HSF12PI 12' 90" 210lbs				

Vertical Bar Spacing: 2.25" between each bar

Door Opening Width: 41.5"

Door Window Dimensions: 19" wide x 33" tall

Front Panel Window/Feeder Opening: 28" wide x 33" tall Color: Brown (Architectural Grade Powder Coat Finish)

Stall Starter Post Required (sold separately)

Premier Horse Stall Front Features

- •Our Premier Stall Fronts are a safe, attractive, and affordable option for today's horse owners
- Premier Stall Fronts have a center open door design, with a 4' wide door that opens to a 41.5" access width
- Each Premier Stall Front includes an opening that will accept either a window or a feeder. These components pin to the frame at two connection points.
- •Priefert's high density poly is durable, attractive, easy to clean, and is specially formulated to be high impact resistant.
- Standard Poly is 1/4" Thick (3/8" Available on Special Order)

FEEDERS & WINDOWS SOLD SEPARATELY

Related Items





HSP--PI - Poly Horse Stall Panel Bar/Poly



SPECIFICATIONS			
Product #	Length	Height	Weight
HSP02PI	2'	90"	38
HSP04PI	4'	90"	75
HSP10PI	10'	90"	136
HSP12PI	12'	90"	173

Vertical Bar Spacing: 2.25" between each bar

Color: Brown (Architectural Grade Powder Coat Finish)

* 12' Panels Have Brace in center (Bar Top only)

HSP--SPI - Horse Stall Panel Solid Poly



SPECIFICATIONS						
Product #	Product # Length Height Weight					
HSP02SPI	2'	90″	39 lbs			
HSP04SPI	4'	90″	75 lbs			
HSP10SPI	10'	90″	125 lbs			
HSP12SPI	12'	90″	148 lbs			

Color: Brown (Architectural Grade Powder Coat Finish)

Horse Equipment

Stall Accessories

Stall Accessories

HSFF - Premier Horse Stall Feeder

SPECS	For use with Wood Stalls	For use with Poly Stalls
Product #	HSFF	HSFFP
Width	28"	21"
Depth	21"	26"
Height	34"	36"
Weight	51lbs	51lbs

Horse Equipment

42



Color: Brown (Architectural Grade Powder Coat Finish)

HSFWIN - Premier Horse Stall Window

SPECIFICATIONS		
Product # HSFWIN		
Width	28"	
Depth 2.5"		
Height 34"		
Weight 23lbs		



Color: Brown (Architectural Grade Powder Coat Finish)

FF20BLACK - Stall Feeder Bucket

SPECIFICATIONS		
Product # FF20		
Width	17.5"	
Depth	14.25"	
Height	10.75"	
Capacity 5 Gallon		



PHSFB - Stall Feeder Bucket Bracket

SPECS	For use with Wood Stalls	For use with Poly Stalls	
Product #	PHSFB	PHSFBP	
Width	6"	28"	
Length	17"	14"	
Height	10.5"	12"	
Material	11ga Steel	11ga Steel	




WOOD - Premier Stall Wood Kits

- Cut to Fit
- #1 Quality Pine
- Tongue & Groove, Beveled Boards
- · Medium Color Stain for Attractive, Durable Finish

SPECIFICATIONS			
Product #	Designed for use with	Weight	
WOOD04	Bottom of 2' or 4' Stall Panels(HSP0 2W,HSP02SW,HSP04W,HSP04SW)	70	
WOOD10	Bottom of 10' Stall Front or Panel(HSF10,HSP10W,HSP10SW)	171	
WOOD12	Bottom of 12' Stall Front or Panel(HSF12, HSP12W, HSP12SW)	212	
WOOD04- TOP	Top of 2' or 4' Solid Wood Stall Panels(HSP02SW,HSP04SW)	55	
WOOD-TOP	Top of 10' or 12' Solid Wood Stall Panels(HSP10SW,HSP12SW)	153	

SSP -Stall Starter Post



SPECIFICATIONS		
Product #	Description	Weight
SSP2	Stall Starter Post 2-Way Connector	10.3
SSP3	Stall Starter Post 3-Way Connector	10.65

Color: Brown (Architectural Grade Powder Coat Finish)

NOTES

Panel Walkers

Lead Walkers





Panel Walker Kit Configurations					
Product # 4 Horse 6 Horse 6 Horse 8 Horse					
Diameter	40′	50′	70′	70′	
Arm Length	20′	25′	35′	35′	
Max Speed	10mph	13.2mph	17.6mph	17.6mph	

Lead Walker Kit Configurations						
Product # 4 Horse 6 Horse 8 Horse						
Diameter	40′ 50′ 70′					
Arm Length	20' 25' 3					
Max Speed	Max Speed 10mph 13.2mph 17.6mph					

Panel Walker Standard Features

- Planetary Gearbox
- Whisper Quiet Operation
- 3 Horsepower Siemens Motor
- Variable Speed Adjustment
- Operates in Forward or Reverse
- Heavy Duty/Electrical Divider Panels
- Adjustable Divider Panel Height
- Standard Push Button Control Box or Optional Programmable Touch Screen
- Wireless Remote Control
- Emergency Shutoff
- Architectural Grade Powder Coat Finish

Panel Walker Specifications

Divider Panels: 2" x 2" 4 ga. Wire Mesh, Width: 7' 1/4", Height: 4' 3"

Solid Bottom Round Pens: 6' tall, 16 ga. Quadraform, solid bottoms, pin connectors, available with rails or 2" x 2" 4 ga. wire mesh, 5' x 7' bow gates

Electrical: 240 VAC 30 AMPs & 120 VAC

Standard Color: Black

Lead Walker Standard Features

- Planetary Gearbox
- Whisper Quiet Operation
- 3 Horsepower Siemens Motor
- Variable Speed Adjustment
- Operates in Forward or Reverse
- Smart Lead Technology
- Standard Push Button Control Box or Optional Programmable Touch Screen
- Wireless Remote Control
- Emergency Releases
- Emergency Shutoff
- Architectural Grade Powder Coat Finish

Lead Walker Specifications

Electrical: 240 VAC 30 AMPs Standard Color: Black

44

Horse Equipment

Riding Arenas & Groomers

Horse Stock



Riding Arena Layouts					
Product #	Product # Panel Type Panel Color I				
RIDING1	Economy	Green	65"		
RIDING2	Utility	Brown	62"		
RIDING3	Premier	Grey	64"		

Our standard Riding Arenas are 100' wide by 200' long and include a single 12' gate, as well as a 6' x 9' bow gate.

AG - Arena Groomers

Horse Equipment



Eliminates expensive hydraulics and allows operators to break packed ground, pulverize clumps of dirt, and leave consistent footing; often in a single pass. For affordable versatility in arena grooming maintenance, our arena groomers are hard to beat!

Specifica				
Product #	Description	Width	Weight	Sugg. HP
AG06	6' ArenaMaster	6'	699 lbs	35+
AG06NB	No Blade	6'	564 lbs	35+
AG06BB	Back Blade only	6'	137 lbs	-
AG08	8' ArenaMaster	8'	915 lbs	40+
AG08NB	No Blade	8'	694 lbs	40+
AG08BB	Back Blade only	8'	175 lbs	-

Color: Blue & Black (Architectural Grade Powder Coat Finish)

Related Items



Chain Harrows

Horse Stock - (HSC, HS, HSPLAT)



Specs	Complete System	Horse Stock Only	Platform Only
Product #	HSC	HS	HSPLAT
Length	82"	78″	90″
Width	37"	35"	35"
Height	95.75"	92″	3.75"
Weight	621 lbs	354 lbs	267 lbs

The Horse Stock is available for purchase with or without the Horse Stock Platform (HSPLAT). When purchased without the platform, the Horse Stock may be bolted to a concrete floor. For use on natural ground, the Horse Stock should be mounted to 4 buried Horse Stock Anchors (HSAK).

Color: Black (Architectural Grade Powder Coat Finish)

HSA - Horse Stock Anchors

Specifications		
Product # Description		
HSA	Single Horse Stock Anchor	
HSAK	Set of 4 Horse Stock Anchors	




49

Round Pens

Round Pans

RP - Economy Round Pens

Horse Equipment




Economy Panels and Gates are designed for use with cooperative animals and are *NOT* for heavy crowding situations.

SPECIFICATIONS				
Size	Gate	#	Panel*	#
RP40	RBG069	1	RP12	10
RP50	RBG069	1	RP12	13
RP60	RBG069	1	RP12	15
RP70	RBG069	1	RP12	18

Color: Green (Architectural Grade Powder Coat Finish)

UP - Utility Round Pens




Our #1 selling "Horse-Safe" panel line, Utility Panels and Gates are recommended for enclosures where heavy pressure is not expected.

SPECIFICATIONS				
Size	Gate	#	Panel*	#
UP40	UBG069	1	UP12	10
UP50	UBG069	1	UP12	13
UP60	UBG069	1	UP12	15
UP70	UBG069	1	UP12	18

Color: Brown (Architectural Grade Powder Coat Finish)

PP - Premier Round Pens




"Tough Enough for Cattle, Safe Enough for Horses," these panels are designed for use in crowding applications.

SPECIFICATIONS					
Size	Gate	#	Panel*	#	
PP40	PBG069	1	PP12	10	
PP50	PBG069	1	PP12	13	
PP60	PBG069	1	PP12	15	
PP70	PBG069	1	PP12	18	

Color: Grey (Architectural Grade Powder Coat Finish)

PPT - Premier Tall Round Pens



Constructed from our patented Quadraform™ tubing to allow for maximum strength and flexibility, these panels are ideal for horse owners that prefer taller pens.

SPECIFICATIONS				
Size	Gate	#	Panel*	#
PPT40	PBGT069	1	PPT12	10
PPT50	PBGT069	1	PPT12	13
PPT60	PBGT069	1	PPT12	15
PPT70	PBGT069	1	PPT12	18

Color: Grey (Architectural Grade Powder Coat Finish)




Utillity Panels

Priefert's most affordable panel suitable for horse owners. With loop legs, the economy panel is easy to move around for ladies and young adults. Its 65" height, single piece vertical stay, and chain connectors enhance safety for horses that accept confinement. An architectural grade powder coat finish helps this panel resist the elements.

Our #1 selling "Horse Safe" Panels, safe & versatile.

"Fishhook" tops combined with oval end frames and chain connectors help insure a snug fit while eliminating space between panels. J-legs help keep panels from sinking in soft ground and allow panels to slide when portability is required. Priefert is the only panel maker in the industry to use "drilled stays" which increase safety and strength. An architectural grade powder coat finish helps this panel resist scratching and the deteriorating effects of the weather.

RP - Economy Panels




HEIGHT: 65" # OF RAILS: 6 **STAYS**: 1.050" OD 20 ga. TUBING: 1.66" OD 20 ga.

Product #	Length	Weight
RP06	6′	30 lbs
RP10	10′	46 lbs
RP12	12′	53 lbs

Color: Green or Red (Architectural Grade Powder Coat Finish)

* Panels are 4" Shorter than stated lengths

UP - Utility Panels




HEIGHT: 62" # OF RAILS: 6 STAYS: 1.050" OD 18 ga.

TUBING: 1.66" OD 20 ga.

Product #	Length	Weight
UP10	10′	46 lbs
UP12	12′	58 lbs
UP16	16′	73 lbs

Color: Brown (Architectural Grade Powder Coat Finish)

RWT - Economy Walk Thru Panels



Product #	Length	Weight
RWT10	10′	75 lbs
RWT12	12′	83 lbs

* Panels are 4" Shorter than stated lengths

Panel Height: 65" | Frame Height: 7' | Gate Width: 6'


RBG - Economy Bow Gate



Product #	Length	Weight
RBG069	6′	92 lbs

Frame Height: 9'

UWT - Utility Walk Thru Panels



Product #	Length	Weight
UWT10	10′	76 lbs
UWT12	12′	82 lbs

Panel Height: 62" | Frame Height: 7' | Gate Width: 4'

UBG - Utility Bow Gate




Product #	Frame Height	Width	Weight
UBG04	7′	4′	47 lbs
UBG069	9′	6′	108 lbs

Premier Panels

TOUGH ENOUGH FOR CATTLE, SAFE ENOUGH FOR

HORSES, this is our "first" panel and the one that provides the most versatility, superior durability, and arguably the best value of any panel on the market. Our unique Quadraform™ tubing offers increased flexibility while providing amazing capacity for remaining upright should an animal try to go over it. The single piece vertical stay through drilled rails adds even more strength and safety. An architectural grade powder coat finish helps this panel resist scratching and the deteriorating effects of the weather. For round pens, paddocks, corrals, sweeps, or anywhere confinement is needed. Priefert's Premier Panels are a solid choice!

PP - Premier Panels




HEIGHT: 64" **# OF RAILS:** 6 **STAYS:** 1.050" OD 18 ga. **TUBING:** 1.66" OD 16 ga. Ouadraform™

Color: Grey(Architectural Grade Powder Coat Finish)

Product #	Length	Weight
PPD	6′	40 lbs
PP08	8′	68 lbs
PP10	10′	82 lbs
PP12	12′	90 lbs
PP14	14′	104 lbs
PP16	16′	116 lbs

PWT - Premier Walk Thru Panels



Product #	Length	Weight
PWT10	10′	110 lbs
PWT12	12′	123 lbs

PANEL HEIGHT: 64" | FRAME HEIGHT: 7' | GATE WIDTH: 4'

PBG - Premier Bow Gate



Bow Frame Height: 7'

Product #	Width	Weight
PBG04	4′	61 lbs
PFS08	8′	164 lbs
PFS10	10′	199 lbs
PFS12	12'	230 lbs

Bow Frame Height: 9'


ow Frame neight: 9		
Product #	Width	Weight
PBG069	6′	126 lbs
PFS109	10′	231 lbs
PFS129	12′	269 lbs

Premier Tall Panels

The new PPT12 is basically a "big brother" version of our Premier Panel line with two important differences, it is 72" tall and has our rodeo pin connectors.

Not only is this panel a great option for cattle working pens, but it also meets the Bureau of Land Management's requirements for working with mustangs, making this panel a great option for cattle or horses.

PPT - Premier Tall Panels



PPT12


HEIGHT: 72" **# OF RAILS:** 6

STAYS: 1.050" OD 18 ga. **TUBING:** 1.66" OD 16 ga.

Ouadraform™

Color: Grey (Architectural Grade Powder Coat Finish)

PWTT - Premier Walk Thru Tall Panel



Product # L	ength	Weight
PWTT12	12′	123 lbs

12'

94 lbs

PANEL HEIGHT: 72" | FRAME HEIGHT: 7' | GATE WIDTH: 4'

PBGT - Premier Bow Gate Tall



BOW FRAME HEIGHT: 9'

Product #	Length	Weight
PBGT069	6′	126 lbs

Paralli Panals

UPS10 - Parelli Panels



HEIGHT: 42" RAILS: 4 STAY: 1

Product # Length UPS10 10' TUBING: 1.66" OD 20 ga.

Color: Green (Architectural Grade Powder Coat Finish)


Sheep Hog & Goat Panels

Weight

42 lbs

- · Ideal for exposition centers and fairgrounds
- · Great for penning sheep, hogs, or goats at home
- · Also great for miniature horses
- · Vertical rails on 4" centers
- Architectural Grade Powder Coat Finish

SHP - Sheep, Hog, & Goat Panels



HEIGHT: 49" TUBING: Frame 1.66" OD 18 ga. tubing

Color: Brown (Architectural Grade Powder Coat Finish)

Product #	Length	Weight
SHP04	4′	23 lbs
SHP05	5′	37 lbs
SHP06	6′	51 lbs
SHP08	8′	49 lbs
SHP10	10′	61 lbs

SHBG - Sheep, Hog, & Goat Bow Gate



Bow Frame Height: 80"

Product #	Length	Weight
SHBG04	4'	23 lbs
SHBG05	5'	37 lbs
SHBG06	6'	51 lbs

Roughstock Panels

REQUIRES CONNECTOR POSTS

GREAT IN CROWDING SITUATIONS

Priefert's heaviest, most durable panel. These panels feature closed tops & bottoms, pin connectors, and an architectural grade powder coat finish.

RSP - Rough Stock Panels



Product #	Length	Weight	#Stays
RSP04	4′	46 lbs	0
RSP05	5′	54 lbs	0
RSP06	6′	69 lbs	1
RSP08	8′	90 lbs	1
RSP09	9′	105 lbs	1
RSP10	10′	107 lbs	1
RSP12	12′	122 lbs	1
RSP14	14′	154 lbs	2
RSP16	16′	165 lbs	2

HEIGHT: 72" (when connected to post)

TUBING: 2" OD 14 ga.



Color: Grey (Architectural Grade Powder Coat Finish)

RSWT - Rough Stock Walk Thru Panels



Product #	Length	Weight
RSWT10	10′	211 lbs
RSWT12	12′	230 lbs

Panel Height: 6' | Frame Height: 7' | Gate Width: 4'

RSBG - Rough Stock Bow Gate



Bow Frame Height: 7'

bow i fullic ficigit		
Product #	Width	Weight
RSBG037	3′	117 lbs
RSBG047	4′	154 lbs
RSBG057	5′	175 lbs

Bow Frame Height: 9'

Product #	Width	Weight
RSBG069	6′	245 lbs
RSBG079	7′	260 lbs
RSBG089	8′	279 lbs
RSBG099	9′	270 lbs
RSBG109	10′	303 lbs
RSBG129	12′	325 lbs

Roughstock Arena Panels

GREAT IN CROWDING SITUATIONS

These 6' tall straight-legged panels are durable and versatile, with closed tops and bottoms, pin connectors, and an architectural grade powder coat finish.

RSAP - Rough Stock Arena Panels




Product #	Length	Weight	#Stays
RSAPD06	6′	65 lbs	1
RSAP08	8′	77 lbs	1
RSAP10	10′	90 lbs	1
RSAP12	12′	108 lbs	1
RSAP14	14′	124 lbs	2
RSAP16	16′	137 lbs	2

HEIGHT: 6' **TUBING:** 2" OD 16 ga.

Color: Grey (Architectural Grade Powder Coat Finish)

RSAWT -Rough Stock Arena Walk Thru Panels



Product #	Length	Weight
RSAWT10	10′	199 lbs
RSAWT12	12′	230 lbs
RSAWTP10	10′	199 lbs
RSAWTP12	12′	230 lbs

Panel Height: 6' | Frame Height: 7' | Gate Width: 4'


Connection Points -RSAWT: Pins attached to the gate side, female connector tabs on the opposite side. **RSAWTP:** Pin connectors securely attached to each end of the panel.

RSABG - Rough Stock Arena Bow Gate



Bow Frame Height: 9'

Product #	Width	Weight
RSABG109	10'	225 lbs
RSABG129	12'	315 lbs



Gates



All gates are approximately 5" shorter than stated length to allow the gate to be hung in line with the fence and still swing through the opening. *18'-20' Gates Bolt Together

RG - Economy Gate



PART#	L	н	WGHT	COLORS
RG04	4′	50 1/2"	19 lbs	
RG06	6′	50 1/2"	25 lbs	
RG08	8′	50 1/2"	33 lbs	
RG10	10'	50 1/2"	44 lbs	
RG12	12'	50 1/2"	52 lbs	
RG14	14'	50 1/2"	59 lbs	
RG16	16'	50 1/2"	68 lbs	*Galvanized not
RGBTG18*	18′	50 1/2"	90 lbs	available on
RGRTG20*	20'	50 1/2"	97 lbs	18-20' lengths

Color: Red or Green (Architectural Grade Powder Coat Finish)

Frame: 1.66" OD 20 ga. tubing

RWG - Wire Filled Economy Gate



PART#	L	H	WGHT	COLORS
RWG04	4′	50 1/2"	21 lbs	
RWG06	6′	50 1/2"	29 lbs	
RWG08	8′	50 1/2"	37 lbs	
RWG10	10'	50 1/2"	45 lbs	
RWG12	12'	50 1/2"	52 lbs	
RWG14	14'	50 1/2"	57 lbs	
RWG16	16′	50 1/2"	66 lbs	

Color: Red or Green (Architectural Grade Powder Coat Finish) **Frame:** 1.66" OD 20 ga. tubing

Gates

DG - D-Gate



-				
PART#	L	н	WGHT	COLOR
DG04	4′	48"	23 lbs	
DG06	6′	48"	31 lbs	
DG08	8′	48"	38 lbs	
DG10	10'	48"	41 lbs	
DG12	12'	48"	49 lbs	
DG14	14'	48"	56 lbs	
DG16	16′	48"	69 lbs	

Color: Brown (Architectural Grade Powder Coat Finish)

Frame: 1.66" OD 18 ga. D-shaped tubing

PG- 4 Rail Ponderosa Gate



PART#	L	H	WGHT	COLOR
PG04	4′	38"	34 lbs	
PG10	10'	38"	70 lbs	
PG12	12'	38"	81 lbs	
DC14	14'	39"	106 lbc	

Color: Black & Brown (Architectural Grade Powder Coat Finish)

Frame: 2" OD 16 ga. tubing

Also available in a 3 Rail Design, call for more information.

RG2 - Bull Gate

EXCELLENT FOR CROWDING SITUATIONS



				100
PART#	ı		WGHT	COLOR
	_			COLOR
RG204	4′	50 3/4"	40 lbs	
RG206	6′	50 3/4"	53 lbs	
RG208	8′	50 3/4"	69 lbs	
RG210	10′	50 3/4"	87 lbs	
RG212	12'	50 3/4"	102 lbs	
RG214	14'	50 3/4"	114 lbs	
RG216	16′	50 3/4"	127 lbs	*Galvanized n
RG2BTG18*	18′	50 3/4"	160 lbs	available on
RG2BTG20*	20′	50 3/4"	176 lbs	18-20' length

Color: Grey (Architectural Grade Powder Coat Finish)
Frame: 1.050" OD Single Piece Vertical Stay(s) through drilled 2" OD horizontal rails

Gates

Gate Accessories

All gate latches fit "any" gate with 2" OD tubing or less (excluding wire filled gates)

RSG - Rough Stock Gate

EXCELLENT FOR EXTREME CROWDING SITUATIONS



PART#	L	Н	WGHT	COLOR
RSG08	8′	60"	94 lbs	
RSG10	10'	60"	113 lbs	
RSG12	12'	60"	126 lbs	
RSG14	14'	60"	151 lbs	
RSG16	16′	60"	164 lbs	

Color: Grey (Architectural Grade Powder Coat Finish)

Frame: 2"OD 14 ga. tubing

Hinge Clamps





Gate Latches

Product #	Description
STL	Sliding Tucker Latch
LL1	Bolt-on Single Piston Lever Latch
LLB	Bolt-on Double Piston Lever Latch
LR	Latch Receiver



Ponderosa Gate Latches

Product #	Description
PSTL	Ponderosa Sliding Tucker Latch
PDGL	Ponderosa Double Gate Latch



Gate Wheel

Product #	Description
RGW	Rubber Wheel Fits 1.6" or 2" Priefert Economy or Bull Gates



Gate Hinge Bolts

Product #	Description
HPATH12	5/8" x 12" Hinge Bolt
JBOLT12	3/4" x 12" J Bolt
LAG	5/8" x 6" Lag Bolt



Gate Stop Rod Kit

Product #	Description
GSRKIT	Works with Ponderosa Gates

NOTES

46	-	



Roping & Rodeo

Roping Chutes

Roping Chutes

RC19M | Manual Roping Chute



IMPROVED FINGERTIP TOUCH RELEASE | The easy fingertip touch release and spring assisted opening ensures that every roper gets the same release of the steer or calf.

IMPROVED BREAKING SYSTEM | Longer lasting breaking system reduces backlash and opening noise with simple adjustments to keep the break working as intended over time

SPLIT TAILGATE | The spilt tailgate opens from either side of the chute and operates without ropes, pulleys, or kneeknocking levers. Features an improved tailgate linkage system to allow for even longer lasting chute by reducing pressure on pivot points during each open/close.

QUIET FRONT RELEASE GATES | The unique braking system used to control the front release gate is set to virtually eliminate noise.

CONTOURED SIDES | The contoured sides narrow at the bottom to discourage animals from turning around in the chute.

Specifications			
Product #	RC19M		
Overall Height	63″		
Overall Width	36"		
Overall Length	86"		
Inside Width at Top	30"		
Inside Width at Bottom	14"		
Weight	476 lbs		
Color	Blue (Architectural Grade Powder Coat Finish)		

Related Items





Solar Box (Q36)

RC98ASRAI

RC98SCOREAI | Score Chute



QUIET FRONT RELEASE GATES | The unique braking system used to control the front release gate is set to virtually eliminate noise.

INTERIOR NECK GATE | Can be engaged to hold a steer inside the chute, allowing the roper to repeatedly open the front gate to "score" his/her horse.

LASER EYE | Detects the presence or absence of an animal in the chute.

FULLY AUTOMATIC MODE | One push of a button activates the laser eye and operates most every function of the chute.

SEMI-AUTOMATIC MODE | Each function of the chute is controlled independently by a different button on the remote.

DELAY SETTING | A dial on the chute's control box can be set to delay the opening of the chute's front release or Interior Neck Gate from 3-30 seconds after the remote button is pushed.

SPLIT TAILGATE | Can be opened with the remote and operates without ropes, pulleys or knee-knocking levers.

REMOTE CONTROL | Our preprogrammed Remote Control unit is compact and easily fits in a pocket or in the leather belt clip case (sold separately).

Specifications			
Product #	RC98SCOREAI		
Overall Height	68″		
Overall Width	36″		
Overall Length	86″		
Inside Width at Top	30"		
Inside Width at Bottom	14″		
Weight	620 lbs		
Color	Blue (Architectural Grade Powder Coat Finish)		

Roping Chutes

Roping Chutes

RC19C

Roping & Rodeo

COMPETITION ROPING CHUTE

This chute is used at the Wrangler National Finals Rodeo & many other Pro Rodeos across the nation.



SPECIFICATIONS					
Product # Length Width Height Weight					
RC19C	106"	36"	64"	491 lbs	

Inside Width at Top: 30" Inside Width at Bottom: 17"

RC98AI

AUTOMATIC ROPING CHUTE

Takes efficiency to a whole new level and is ideal for the practice arena because it virtually eliminates the need for extra chute help.



SPECIFICATIONS					
Product # Length Width Height Weight					
RC98AI	86"	36"	68"	491 lbs	

Inside Width at Top: 30" Inside Width at Bottom: 14"

RC98Q36

SOLAR POWERED ROPING CHUTE

The Q36 requires no electrical cords or air lines, just the sun! The solar panel is attached to the top of the compact release box.



SPECIFICATIONS				
Product #	Length	Width	Height	Weight
RC98Q36	86″	36″	63"	485 lbs

Inside Width at Top: 30" Inside Width at Bottom: 14"

RCCALF

MANUAL CALF ROPING CHUTE

Same basic design and functionalities of our larger chutes at a fraction of the cost This chute is ideal for the roper who is only running calves.



SPECIFICATIONS					
Product # Length Width Height Weight					
RCCALF	63"	21"	50"	196 lbs	

Inside Width: 14"

RCCALFA

AUTOMATIC CALF ROPING CHUTE

Designed for the roper who is only running calves, this remote-controlled calf chute is ideal for the practice pen because it virtually eliminates chute help.



SPECIFICATIONS					
Product # Length Width Height Weight					
RCCALFA	63"	21"	44.5"	233 lbs	

Inside Width: 14"

RCS98SC

STRIPPING CHUTE

Designed to create a safe area for removing ropes and/or head wraps from steers. This chute is typically placed in a return alley.



SPECIFICATIONS					
Product # Length Width Height					
RCS98SC	73″	36"	71″		

Inside Width at Top: 30" Inside Width at Bottom: 14"

Roping Accessories

Roping Accessories

ABC

Roping & Rodeo

ADJUSTABLE BARRIER CAGE



Designed to be used with a laser eye setup (not included) to replace the traditional barrier system.

SPECIFICATIONS					
Product # Length Width Height Weight					
ABC	8'-18'	36"	38"	113 lbs	

Q36

SOLAR POWERED CONTROL BOX



Designed to be attached to a Priefert RC98 Manual Roping Chute (chute sold separately).

Requires no electrical cords or air lines, just the sun!

Equipped with a battery backup that will allow the unit to operate in the event that there is no sunlight to recharge it.

SPECIFICATIONS				
Product #	Length	Width	Height	Weight
Q36	15"	9″	5″	20 lbs

RC98ASRAI

FULLY AUTOMATIC CONTROL BOX



Designed as an upgrade for your RC98M (sold separately).

The built in Laser Eye detects the presence or absence of an animal in the chute.

This control box takes efficiency to a whole new level and is ideal for the practice arena because it virtually eliminates the need for extra chute help.

SPECIFICATIONS				
Product #	Length	Width	Height	Weight
RC98ASRAI	36.5"	10"	12″	37 lbs

RC98SP-2018

ROPING CHUTE STEER PUSHER

Designed to keep steers "pushed" toward the front of the chute, eliminating the need for additional chute personnel to help keep steers "pushed up" and ready for the next run.



SPECIFICATIONS				
Product #	Length	Width	Height	Weight
RC98SP-2018	40"	41"	6"	68 lbs

RCS98

ROPING CHUTE ADD-ON SECTION

Add-on Section helps lend speed and efficiency to any roping competition by allowing producers to keep steers staged and ready for the next run.



SPECIFICATIONS				
Product #	Length	Width	Height	Weight
RCS98	73″	35"	64"	325 lbs

Inside Width at Top: 30" Inside Width at Bottom: 14"

RCS98C

COMPETITION ROPING CHUTE ADD-ON SECTION

Designed to attach to the back of Priefert's Competition Roping Chute, this section helps lend speed and efficiency to any roping competition by allowing producers to keep steers staged and ready for the next run.

SPECIFICATIONS				
Product #	Length	Width	Height	Weight
RCS98C	107"	36"	65"	325 lbs

Inside Width at Top: 30" Inside Width at Bottom: 17"

Roping Accessories

Roping Accessories

RCREMOTE / TCASE-10

REMOTES & REMOTE CASE

Roping & Rodeo



SPECIFICATIONS		
Product# Description		Fits in case
TRANS2018-RC	4-Button Red Remote	Yes
TRANSQ36	1-Button Red Remote	Yes
TCASE-10	Leather Remote Case	-

Remotes are not interchangable, you must select the same style remote that originally came with your control box.

RBOX- Roping Boxes

Priefert Roping Boxes provide a safe place for horse and rider to wait for the release of a steer or calf.



SPECIFICATIONS	
Product #	Description
RBOX2LC	Left Side Box w/Concrete-style Leg
RBOX2RC	Right Side Box w/Concrete-style Leg
RBOX2LS	Left Side Box w/Bury-style Leg
RBOX2RS	Right Side Box w/Bury-style Leg

SP08AK - Steer Alley Kit

Includes:

- 2-8' Steer Alley Panels,
- 1- Steer Panel Bottom Pipe,
- 1- Steer Panel Top Pipe.



SPECIFICATIONS	
Product #	SP08AK
Alley Section Length	8′
Inside Alley Width at Top	30"
Inside Alley Width at Bottom	14"
Panel Height	54"

SP90AK - 90°Turn for Steer Alley

Includes:

1- Steer Alley 90 Degree Bottom Pipe, 1- Steer Alley 90 Degree Inside Turn Panel, 1- Steer Alley 90 Degree Outside Turn Panel, 1- Steer Alley 90 Degree Top Pipe



SPECIFICATIONS	
Product #	SP90AK
Inside Width at Top	30"
Inside Width at Bottom	14"
Turn Height	54"

SCRG04 - Stripping Chute Release Gate

The Stripping Chute Release Gate serves as a blocking gate and locks in the down/closed position to keep the steer in the "stripping" area until all ropes have been removed.



SPECIFICATIONS	
Product #	SCRG04
Overal Height	73″
Overal Width	36"
Overal Length	16"
Weight	151 lbs

SCEF - Stripping Chute Entry Frame

Designed for use with our Stripping Chute Release Gate (sold separately) to create a "Stripping Chute" in a return alley.



SPECIFICATIONS	
Product #	SCEF
Overal Height	61″
Overal Width	30″
Overal Length	5″
Weight	48 lbs

Bucking Chutes

Bucking Chutes

BCRR /BCLR | Bucking Chute



- Spring-Loaded Lever Latch locks when open eliminating any threatening snags that could possibly hip an animal
- Gate latches are shielded from the inside of the chute for added safety
- Metal Roller Design
- Oval side rails minimize leg pressure and possible horn catch areas
- Attached Folding Platform comes standard with each chute
- Tie-Down Bars are welded into each Bucking Chute gate to provide secure, easy-to-access tie-down points when needed
- Urethane-Lined Hinges allow gates to open effortlessly and stand up to extended use with less wear

Specifications		
Product #	BCRR (Right	Release) BCLR (Left Release)
Overall Height	88″	(Does not include skids)
Gate Height	72"	From Ground
Overall Length	114"	
Inside Length	101"	
Overall Width	40"	
Inside Width	33"	
Platform Size	99.5″L X 60	D"W
Platform Height	38"	From Ground
Weight	1938 lbs	

Add-on Bucking Chute

Each Add-On Chute features a single Rumber®filled roll gate. The open end of the chute must be
attached to the roll gate of a corresponding left/right
delivery Bucking Chute (sold separately) to create a
series of connected chutes.

Specifications		
Product #	BCRRAO / BCLRAO	
Overall Height	88″	(Does not include skids)
Gate Height	72"	From Ground
Overall Length	104"	
Inside Length	101"	
Overall Width	40"	
Inside Width	33"	
Platform Size	99.5″ L X 6	0″W
Platform Height	38"	From Ground
Weight	1938 lbs	

Bucking Chute Sets



 Priefert Bucking Chutes are available as sets of 2, 3, or 4 chutes in either a left or right delivery configuration. These pre-assembled sets can be moved as a single unit with the appropriate size lift.

SPECIFICATIONS			
Product #	Description	Length	Weight
BC2LR	Set of 2 Left Delivery Chutes	18'	3498 lbs
BC2RR	Set of 2 Right Delivery Chutes	18'	3498 lbs
BC3LR	Set of 3 Left Delivery Chutes	26' 8"	5058 lbs
BC3RR	Set of 3 Right Delivery Chutes	26' 8"	5058 lbs
BC4LR	Set of 4 Left Delivery Chutes	35' 4"	6618 lbs
BC4RR	Set of 4 Right Delivery Chutes	35' 4"	6618 lbs

Roping & Rodeo

Bucking Chute Accessories

BC Platform Stairs & Handrail

Priefert's Bucking Chute Platform Stairs are specifically designed to attach to the folding platform on the back of Priefert Bucking Chutes.



SPECIFICATIONS		
Product # Description		Weight
BCPS	Bucking Chute Platform Stairs	100 lbs
BCSHR	Bucking Chute Stair Hand Rail	31 lbs

RS90 | 90° Rough Stock Turn Kit

Designed to be used in conjunction with Priefert Bucking Chutes (sold separately). This kit creates the last turn that directs animals from the crowding or loading alley into the bucking chute.



SPECIFICATIONS		
Product # Dimensions (approx.)		Weight
RS90	42"X 45" - 72"Height	259 lbs

SCPBC | Bucking Chute Crash Pad

Designed to provide extra safety for cowboys, these Crash Pads are used by the PBR and the NFR.



SPECIFICATIONS	
Product # Description	
SCPBC	Standard Crash Pad(Fits over roll gate hood)
SCPE	8" Extension Crash Pad

MBCL | Mutton Bustin Chute

Designed to connect to Priefert's Sheep, Hog, & Goat Panels to create a complete mini-arena.



SPECIFICA	TIONS	***		
Product #	Length	Width	Height	Weight
MBCL	64"	36"	58"	306 lbs



Bunk Feeders

Cattle Feeders

FBFWL-Bunk Feeders w/ Drop in Liners

This feeder features a durable poly liner with a pan depth of 9" and a 22.5" inside trough width.



SPECIFICATIONS					
Product #	Finish	Length	Weight		
FBFWL05	Powder Coated over Galv.	5'	31 lbs		
FBFWL	Powder Coated over Galv.	10'	65 lbs		
FBFWLG	Galvanized	10'	65 lbs		

FBFWML-Bunk Feeder w/ Metal Liner

This all metal feeder is powder coated to help the feeder resist rust and corrosion.



SPECIFICATIONS				
Product # Length Weight				
FBFWML	10'	97 lbs		

FBLINER-Feed Bunk Replacement Liner

These durable poly liners are available as replacement liners for Priefert's Model FBFWLO5, FBFWL, GFWHR, and FBFWLG feeders.



SPECIFICA			
Product #	Length	Weight	For Use With
FBLINER	10'	18 lbs	FBFWL, FBFWLG
FBLINER05	5'	12 lbs	FBFWL05

RBF-Economy Round Bale Feeders


Color: Blue (Architectural Grade Powder Coat Finish)



SPECIFICATIONS					
Product #	Description	Weight			
RBFE	Economy Round Bale Feeder	105 lbs			
RBFSE	Economy Skirted Round Bale Feeder	160 lbs			
RBFEG	Galvanized Economy Round Bale Feeder	105 lbs			

RBFHD-Heavy Duty Round Bale Feeders

Ideal for feeding round bales of hay to your cows, calves, and bulls.





SPECIFICATIONS				
Product #	# Description Weight			
RBFHD	Heavy Duty Round Bale Feeder	210		
RBFSHD	Heavy Duty Skirted Round Bale Feeder	255		

CF-Creep Feeder

Priefert's powder coated Creep Feeder is a great way to provide a continuous free flow of feed to small livestock such as calves.



SPECIFICATIONS			
Product # Description			
CF	Creep Feeder Only		
CFCP	Calf Pass Panel Kit Only		
CFC	Creep Feeder w/Calf Pass Panel Kit		

BMF-Bull Mineral Feeders

This three compartment feeder provides expensive mineral supplements protection from the elements.



SPECIFICATIONS				
Product #	Description			
BMFHD	Heavy Duty Mineral Feeder			
BMFHDFC	Mineral Feeder w/Fly Control			

Cattle & Horse Feeders

Horse Feeders

WVF2-Weather Vane Feeder

The durable rubber feed tub has a 15 gallon capacity, is 9" deep, and 24" in diameter.

SPECIFICATIONS						
Product #	Base Width	Weight				
WVF2	48"	57 lbs				



PCPP12-Premier Calf Pass Panel

Designed to allow calves access to feeders while restricting access to cows.

This powder coated panel features
seven access slots for cattle.

\neg	\Box	\Box		Г	Г	
						Ι.

SPECIFICATIONS					
Product # Length Height Weight					
PCPP12	12′	68"	147 lbs		

HGF-Hay & Grain Feeder

Features a welded metal hay rack and a rounded bottom feed tub, making it ideal for feeding hay and/or grain.



SPECIFICA	TIONS			
Product #	Height	Width	Depth	Weight
HGF	29"	21"	19"	49 lbs

HF/HR-Bunk Feeder for Horses

Features a welded metal hay rack and a rounded bottom feed tub, making it ideal for feeding hay and/or grain.



SPECIFICA		
Product #	Description	Weight
HFWHR2	5' Bunk Feeder with Hay Rack	113 lbs
HFWL	5' Bunk Feeder only	66 lbs
HRH	Hay Rack Only	46 lbs

PHFH-Pasture Horse Feeder

This feeder features a hay rack over durable double tub poly liner with a 10.5" pan depth.

Lip of feed pan 29" from the ground.

Color: Brown (Architectural Grade Powder Coat) Finish)



SPECIFICATIONS				
Product #	Height	Width	Length	Weight
PHFH	65"	55"	63"	161 lbs

RBFH-Round Bale Feeder

Free of head and foot traps.

Ideal for feeding round bales of hay to your horses or to your horned cattle.



Color: Brown (Architectural Grade Powder Coat)

SPECIFICATIONS				
Product #	Height	Diameter	Weight	
RBFH	34"	96"	116 lbs	

RBFT-Tombstone Feeder

Free of head and foot traps.

Ideal for feeding round bales of hay to your horses.



Color: Brown (Architectural Grade Powder Coat)


SPECIFICATIONS				
Product #	Height	Diameter	Weight	
RBFT	49"	96"	159 lbs	

GF- Goat Feeder w/ Hay Rack

Features a welded metal hay rack and a rounded bottom feed tub, making it ideal for feeding hay and/or grain.



SPECIFICATIONS				
Product #	Description	Weight		
GFWHR	5' Bunk Feeder w/Hay Rack	105 lbs		
FBFWL05	5' Bunk Feeder Only	31 lbs		
HRG	Hay Rack Only	40 lbs		



Horse Waterer

WTR-Round Galvanized Water Tanks

Superior construction from premium grade materials.

Water Tanks

Smooth rolled rims provide an animal-safe environment.



SPECIFICATIONS				
Product #	Radius	Capacity	Weight	
WTR03	36"	80 gal	48 lbs	
WTR04	48"	158 gal	70 lbs	
WTR06	72"	394 gal	123 lbs	
WTR08	96"	717 gal	185 lbs	

WATERER - Little Giant Push Paddle

Ideal for use in stalls to provide water for your horses.

Horse activates or "pushes" the paddle in the water bowl, this waterer automatically dispenses fresh water.



SPECIFICATIONS				
Product #	Length	Width	Height	Weight
WATERER	10"	8.5"	5″	10 lbs

WTO-1' Deep Oval Galvanized Water Tanks

Ideal for use with small livestock.

Smooth rolled rims provide an animal-safe environment.



SPECIFICATIONS				
Product #	Length	Width	Capacity	Weight
WTO241	48"	24"	48 gal	31 lbs
WTO261	72"	24"	71 gal	45 lbs

WTO-2' Deep Oval Galvanized Water Tanks

Ideal for use with horses, cattle, and other livestock.

Smooth rolled rims provide an animal-safe environment.



SPECIFICATIONS					
Product #	Length	Width	Capacity	Weight	
WTO232	36"	24"	72 gal	42 lbs	
WTO242	48"	24"	95 gal	48 lbs	
WTO252	60"	24"	118 gal	61 lbs	
WTO262	72"	24"	142 gal	71 lbs	

NOTES




Premier Kennel Kits



Kennel Features

- Superior Architectural Grade Powder Coat Finish with UV inhibitors
- Galvanized tubing under powder coat helps the kennel resist rust and corrosion.
- NO TOOLS REQUIRED FOR ASSEMBLY of basic kennels
- 2" x 4" welded wire with each wire welded to kennel frame
- Lockable door latch
- Bottom Rail 2" off pad for easy cleaning
- · Multiple kennels "interlock"
- Kennel tops, shade cloths, and supporting "bows" are excellent add-on accessories
- 48" tall plastic privacy sheeting available; attaches to any divider panel
- A variety of kennel connectors available for 4 way or wall attachment
- 8 ga Kennel wire

Dog Kennel Kits



SPECIFICATIONS				
Product #	Description	Height		
KK6451	4' x 5' Kennel Kit	6′		
KK64101	4' x 10' Kennel Kit	6′		
KK6551	5' x 5' Kennel Kit	6′		
KK65101	5'x 10'Kennel Kit	6′		
KK610101	10' x 10' Kennel Kit	6′		

Kits & Components

KF - Kennel Fronts

- Each Front has 1 Door
- · Lockable Gravity Latch
- Each Kennel Front includes two Standard 3-Way Kennel Connectors (KC3WNG)
- · Color: Grey (Architectural Grade Powder Coat)



SPECIFICATIONS				
Product #	KF641	KF651	KF6101	
Height	6′	6′	6′	
Length	4′	5′	10′	
Weight	49 lbs.	56 lbs.	83 lbs.	

KP - Kennel Panels

- Each Kennel Panel includes two Standard 3-Way Kennel Connectors
- Color: Grey (Architectural Grade Powder Coat)



SPECIFICATIONS				
Product #	KP64	KP65	KP610	
Height	6′	6′	6′	
Length	4′	5′	10′	
Weight	39 lbs.	44 lbs.	69 lbs.	

KC - Kennel Connectors

- With no tools required, our kennel connectors make assembling Premier Kennels quick and easy.
- Color: Grey (Architectural Grade Powder Coat)



SPECIFICATIONS			
Product #	Description		
KC3WNG	Standard 3-Way Kennel Connector		
KC4W	4-Way Kennel Adapter		
KC3WNGA	3-Way Kennel Connector w/Ground Anchor		
KDS	Kennel Door Stop		

Kennel Accessories

KT- Kennel Tops & Adapters

- Designed to bolt into place, making installation quick and easy.
- Color: Grey (Architectural Grade Powder Coat)



SPECIFICATIONS				
Product #	Description	Weight		
KT510	5' x 10' Kennel Top	58 lbs		
KTAP10	10' Kennel Top Adapter Pipe	15 lbs		
KSP10	10' Kennel Stabilizer Pipe	11 lbs		

KPP - Kennel Privacy Panel

- •Constructed from durable 1/8" thick plastic sheeting
- Color: Black



SPECIFICATIONS

Product #	Description
KPP05	4' x 5' Privacy Panel
KPP10 4' x 10' Privacy Panel	

KS - Kennel Shades

- 80% UV Treated Polypropylene
 Made available for any size kennel
 Grommets every 2"
 Makes a great windbreak
 Color: Green



Product #	KS510	KS1010
Length	10′	10′
Width	5′	10′
Weight	4 lbs.	6 lbs


KB - Kennel Bows

SPECIFICATIONS		
Product # Description		
KB5	5' Kennel Bow	
KB10	10' Kennel Bow	



Ponderosa Fending

Fending Aids



PRIEFERT'S PONDEROSA WOOD POST FENCE

is a revolution in the fence industry. We've combined the aesthetic look of the western lifestyle with the quality, durability, and convenience of Priefert's powder-coated tubing. This makes Ponderosa fencing a great addition to any ranch or home place.

Ponderosa Features

- Wood posts are pressure treated after all holes are drilled
- Post come with domed top for safety and water shed
- Post connectors allow for expansion and contraction
- Rustic look
- · Powder coated over galvanized tubing
- No weld swedge design

CALL TODAY FOR THE QUOTE: 1-800-527-8616

PDRIVER - T-Post Drivers

- Larger handles for easier grip
- Handles offset for easier driving
- Architectural Grade Powder Coat Finish

SPECIFICATIONS		T W
Product #	PDRIVER	PDRIVERHD
Width	11"	12"
Height	31"	31"
Inside Diameter	2″	2-3/4"
Weight	20 lbs. 30 lbs	
Color	Gunmetal grey	

TPOSTP - T-Post Puller

- Pull T-posts easier with minimal effort
- · Chain hook included to help pull wood post
- Architectural Grade Powder Coat Finish

SPECIFICATIONS			
Product #	TPOSTP		
Length	38 1/2" (max) 6" (min)		
Height	65"" (max) 36 1/2" (min)		
Weight	16 lbs.		
Color	Gunmetal Grey		

HB - H-Braces				
HEIGHT: 96"				
SPECIFICATIONS				
Product #	Description		Length	Weight
HR2 8041	4' Fixed Single Rail H-Br	ace	48"	70 lbs


SPECIFICATIONS				
Product #	Description	Length	Weight	
HB2.8041	4' Fixed Single Rail H-Brace	48"	70 lbs	
HB2.8081	8' Fixed Single Rail H-Brace	96"	78 lbs	
HBS2.8081	8' Swivel H-Brace	96"	114 lbs	

HB2.8DM - H-Brace Dead Man

- H-Brace Dead-Man is designed to work with Priefert H-Braces (sold separately)
- Increase the longevity of your fence by providing additional support to your braces

SPECIFICATIONS					
Product # Width Length Weight					
HB2.8DM	3″	96"	38 lbs		

Notes



Litter Saver & Blades

Chain Harrows

LS-Litter Saver SPECIFICATIONS Product # LS5 LS7 Working Width 60" 84" Overall Width 79" 106" Weight 595 lbs 876 lbs PTO HP Rating 40 Hp min 60 Hp min

PRIEFERT'S LITTER SAVER has been called "the most affordable machine on the market for litter management and control." This machine allows you to save time and money while being environmentally friendly by giving you the ability to reuse litter.

PILBB - Litter Black Blade



SPECIFICATIONS			
Product #	PILBB		
Blade Width	84"		
Blade Width with attachment	96"		
Blade Height	26"		
Overall Height	40"		
Weight	739 lbs		

PRIEFERT'S LITTER BACK BLADE is specifically designed for litter windrowing and is a solid, yet still economical, choice for producers. With this blade, you can not only create safe litter conditions for your birds, but you will also save money by reducing expensive cleanout and shavings costs.

PICH- Chain Harrow w/ Draw Bar & Hitch

SPECIFICATIONS				
Product #	Mat Size	Weight		
PICH44	4′ X 4′	111 lbs		
PICH46	4′ X 6′	144 lbs		
PICH48	4′ X 8′	213 lbs		
PICH412	4' X 12'	305 lbs		



PICH--LK- Chain Harrow w/ Lift Kit

SPECIFICA	~		
Product #	Mat Size	Weight	
PICH44LK	4′ X 4′	208 lbs	
PICH46LK	4′ X 6′	328 lbs	1
PICH48LK	4′ X 8′	343 lbs	
PICH412LK	4′ X 12′	413 lbs	

CH- Chain Harrow Mats

SPECIFICATIONS				
Product #	CH084848	CH087248		
Mat Size	4′ X 4′	4′ X 6′		
Weight	84 lbs	115 lbs		



PICHH- Chain Harrow Hitch

SPECIFICATIONS			
Product #	PICHH		
Length	90″		



PICHLB- Lift Kit for Chain Harrow

SPECIFICATIONS		
Product # PICHLB		
Weight	88 lbs	



Poulitry Equipment

Draw Bars

Limbsaw

PICHB- Chain Harrow Draw Bars



Poultry Equipment

SPECIFICATIONS				
Product # Length Weight				
PICHB04	4′	18 lbs		
PICHB06	6′	20 lbs		
PICHB08	8′	36 lbs		
PICHB12	12′	63 lbs		

NOTES

LIMSAW1-Tree Trimming Attachment



SPECIFICATIONS			
	Product #	LIMSAW1	
	Mast	8′	
	Weight	84 lbs	

- Mounts directly to front end loader of your tractor, skid loader, or backhoe and is easily attached by one person
- 5,000 RPMs means incredible cutting power
- Quieter, safer, and easier to use than hand held chainsaws
- Reversible motor helps back the saw out of a pinch
- Equipped with a self-oiling system
- Easy-access, built-in chain tensioning system
- Trims limbs up to 8 feet higher than your loader can reach

NOTES

Land Grader

Priefert Toys

PLG08- Land Grader

Land Grader



SPECIFICATIONS		
Product #	PLG08	
Length	90.5″	
Width	8′	
Weight	822 lbs.	
Sug HP	45-100	

- Designed for turning, mixing, shifting and leveling dirt and/or gravel
- Two forward-cutting blades mounted on a strong, high grade steel frame with runners and side pans
- A-frame 3-Point mount attaches it to any Category 1 tractor
- Dual blade and sign pan configuration eliminates washboarding and adds a crown to gravel or dirt rows leaving no windrows

NOTES

Contact M&F Western for purchasing



M&F Western Products, Inc. | Sulphur Springs, TX

SPECIFICATIONS	
Product #	Description
50402	18 Wheeler
50404	Barrel Racing Arena
50406	Team Roping Arena
50408	Bull Riding Arena
50410	Round Pen Set
50412	Stable Set
50414	Pasture Set
50416	Round Bale Feeder
50418	Pasture Horse Set
50420	Cattle Working Pen Set
50422	10 PC Panel
50424	Horsewalker Set



Customer Service at 1.903.885.8646

Notes

PRIEFERT MANUFACTURING

2630 S. Jefferson | Mt. Pleasant, TX 75455 P.O. Box 1540 | Mt. Pleasant, TX 75456

> 1-800-527-8616 | 903-572-1741 Fax: 903-572-2798

WWW.PRIEFERT.COM

email: sales@priefert.com